

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 17-Apr-2023 Revision Number 1

# 1. Identification

Product identifier

Product Name B Etchant

Other means of identification

Product Code(s) 8205

UN number or ID number UN2922

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended use Industrial use

Laboratory use

Industrial Manufacturing (all)

Restrictions on use No information available

Details of the supplier of the safety data sheet

### **Supplier Address**

Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI 53925 USA Phone: (920) 623-2140

Fax: (920) 623-2577 www.columbuschemical.com

### Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 for US / 703-527-3887 outside US

Emergency Telephone 911

# 2. Hazard(s) identification

### Classification

Acute toxicity - Oral	Category 2
Acute toxicity - Dermal	Category 1
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

# Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

#### **Danger**

#### **Hazard statements**

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled



#### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P262 - Do not get in eyes, on skin, or on clothing

P271 - Use only outdoors or in a well-ventilated area

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P284 - Wear respiratory protection

P280 - Wear protective gloves/protective clothing/eye protection/face protection

# **Precautionary Statements - Response**

P320 - Specific treatment is urgent (see First-Aid Measures on SDS)

P321 - Specific treatment (see First-Aid Measures on SDS)

P310 - Immediately call a POISON CENTER or doctor

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

### **Precautionary Statements - Storage**

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

### Unknown acute toxicity

23 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

### Other information

No information available.

# 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Formula	Molecular Weight
Water	7732-18-5	Balance	H <sub>2</sub> O	18.00 g/mol
Hydrogen fluoride	7664-39-3	31-38	HF	20.01 g/mol
Acetic acid	64-19-7	22-23	CH₃COOH	60.05 g/mol

# 4. First-aid measures

### **Description of first aid measures**

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately. Delayed pulmonary edema may occur. Get immediate medical

attention. Immediate medical attention is required.

**Eye contact**Get immediate medical attention. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin contact** Get immediate medical attention. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Ingestion** Get immediate medical attention. Do NOT induce vomiting. Rinse mouth. Never give

anything by mouth to an unconscious person.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing. Burning sensation.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

can lead to release of irritating gases and vapors.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge No

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Do not breathe vapor or mist. Keep people away from and upwind of spill/leak. Attention! Corrosive material.

**Other information** Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust

ventilation. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Keep out of the reach of children. Protect from moisture. Store away from other materials.

# 8. Exposure controls/personal protection

#### Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Hydrogen fluoride	TWA: 0.5 ppm FS*Ceiling: 2	TWA: 3 ppm F	IDLH: 30 ppm
	ppm F	TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 250 mg/m <sup>3</sup> F
		(vacated) TWA: 3 ppm F	Ceiling: 6 ppm 15 min
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup> 15 min

		(vacated) STEL: 6 ppm F	TWA: 3 ppm TWA: 2.5 mg/m <sup>3</sup>
Acetic acid	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>

### Biological occupational exposure limits

Chemical name	ACGIH
Hydrogen fluoride	3 mg/g creatinine - urine (Fluoride) - prior to shift 10 mg/g
	creatinine - urine (Fluoride) - end of shift

### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Hand protection** Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Impervious clothing. Chemical

resistant apron.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Do not breathe vapor or mist. Contaminated work clothing should

No data available

not be allowed out of the workplace.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

ColorColorless to light yellowOdorNo information availableOdor thresholdNo information available

PropertyValuesRemarks • MethodpH1No data availablepH (as aqueous solution)No data availableNo data availableMelting point / freezing pointNo data availableNo data available

No data available

Initial boiling point and boiling range

ange

Flash pointNo data availableNo data availableEvaporation rateNo data availableNo data available

Flammability No data available No data available

Flammability Limit in Air

Upper flammability or explosive No data available No data available

limits

Lower flammability or explosive No data available No data available

limits

No data available No data available Vapor pressure Relative vapor density No data available No data available Relative density 1.1455 No data available Water solubility No data available No data available Solubility(ies) No data available No data available **Partition coefficient** No data available No data available **Autoignition temperature** No data available No data available

**Decomposition temperature** 

Kinematic viscosityNo data availableNo data availableDynamic viscosityNo data availableNo data available

Other information

Explosive properties

Oxidizing properties

Softening point

Molecular weight

No information available
No information available

VOC content
Liquid Density

Bulk density

No information available
No information available
No information available

# 10. Stability and reactivity

**Reactivity** No information available.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** Excessive heat. Exposure to air or moisture over prolonged periods.

**Incompatible materials** Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

### Information on likely routes of exposure

### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on

components). Corrosive by inhalation. Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic

edema of the lungs. Pulmonary edema can be fatal.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Fatal in contact with skin.

(based on components). Corrosive. Causes burns.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung

damage if swallowed. Fatal if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Redness. Burning. May cause

blindness.

#### **Acute toxicity**

#### **Numerical measures of toxicity**

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 13.20 mg/kg
ATEmix (dermal) 13.10 mg/kg
ATEmix (inhalation-gas) 978.50 ppm
ATEmix (inhalation-vapor) 99,999.00 mg/l
ATEmix (inhalation-dust/mist) 0.131 mg/l

#### Unknown acute toxicity

23 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	>90 mL/kg (Rat)	-	-
Hydrogen fluoride	-	-	= 0.79 mg/L (Rat) 1 h
Acetic acid	= 3310 mg/kg (Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

Respiratory or skin sensitization No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system, Eyes, Skin, Teeth.

**Aspiration hazard** No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Hydrogen fluoride	-	-	-	48h EC50: = 270
				mg/L(Daphnia species)
Acetic acid	-	LC50: =79mg/L (96h,	-	EC50: =65mg/L (48h,
		Pimephales promelas)		Daphnia magna)
		LC50: =75mg/L (96h,		
		Lepomis macrochirus)		

Persistence and degradability No information available.

### **Bioaccumulation**

**Component Information** 

Chemical name	Partition coefficient
Hydrogen fluoride	-1.4
Acetic acid	-0.17

Other adverse effects No information available.

# 13. Disposal considerations

#### **Disposal methods**

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

# 14. Transport information

Regulated

UN number or ID number UN2922 Proper shipping name Corrosive liquids, toxic, n.o.s. (acetic acid and hydrofluoric acid)

Transport hazard class(es) 8
Subsidiary hazard class 6.1
Packing group II
DOT Marine Pollutant No

TDG Regulated UN number or ID number UN2922

**UN proper shipping name**Corrosive liquids, toxic, n.o.s. (acetic acid and hydrofluoric acid)

Transport hazard class(es) 8
Subsidiary hazard class 6.1
Packing group ||

ICAO (air) Regulated
UN number or ID number UN2922

**UN proper shipping name**Corrosive liquids, toxic, n.o.s. (acetic acid and hydrofluoric acid)

Transport hazard class(es) 8
Subsidiary hazard class 6.1
Packing group II

IATA Regulated
UN number or ID number UN2922

Transport hazard class(es) 8
Subsidiary hazard class 6.1
Packing group II

IMDG Regulated
UN number or ID number UN2922

**UN proper shipping name** Corrosive liquids, toxic, n.o.s. (acetic acid and hydrofluoric acid)

Transport hazard class(es) 8
Subsidiary hazard class 6.1
Packing group II

### 15. Regulatory information

### **International Inventories**

**TSCA** Complies. **DSL/NDSL** Complies.

EINECS/ELINCS
Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

### **US Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Hydrogen fluoride	1.0
7664-39-3	

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen fluoride	100 lb	-	-	Х
Acetic acid	5000 lb	-	-	X

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Hydrogen fluoride	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Acetic acid	5000 lb	•	RQ 5000 lb final RQ RQ 2270 kg final RQ

### **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
Hydrogen fluoride	X	X	X
Acetic acid	X	X	X

### U.S. EPA Label Information

16. Other information

EPA Pesticide Registration Number Not applicable

ici cuici illiciniculo.				
<u>NFPA</u>	Health hazards 4	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards 4	Flammability 0	Physical hazards 0	Personal protection X

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 17-Apr-2023

**Revision Note** No information available.

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**