

Safety Data Sheet

Cupric Sulfate, Anhydrous Powder Reagent

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Cupric Sulfate, Anhydrous Powder Reagent

Synonyms/Generic Names: Copper (II) Sulfate

Product Number: 1710

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)

www.columbuschemical.com

In Case of Emergency Call: CHEMTREC – 800-424-9300 or 703-527-3887 (24 Hours/Day, 7Days/Week)

2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): None

Signal Words: Warning

Pictograms:



GHS Classification:

Acute toxicity, Oral	Category 4
Skin irritation	Category 2
Eye irritation	Category 2A
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

GHS Label Elements, including precautionary statements:

Hazard Statements:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements:

P264 Wash hands thoroughly after handling.	
--	--

Revised on 10/25/2021 Page 1 of 6

P270	Do not eat, drink or smoke when using this product.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel	
	unwell.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
P330	Rinse mouth.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P501	Dispose of contents/container in accordance with local regulations.	

Potential Health Effects

Eyes	Causes eye irritation.	
Inhalation	Harmful if inhaled. Causes respiratory tract irritation.	
Skin	Harmful if absorbed through skin. Causes skin irritation.	
Ingestion	May be toxic if swallowed.	

NFPA Ratings

Health	2
Flammability	0
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	2
Fire	0
Reactivity	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Cupric Sulfate, Anhydrous	>99	7758-98-7	231-847-6	CuO ₄ S	159.61 g/mol

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.	
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not	
	breathing, give artificial respiration. Get medical attention.	
Skin	Flush with plenty of water for at least 15 minutes while removing contaminated clothing and	
	wash using soap. Get medical attention.	
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If	
	conscious, wash out mouth with water. Get medical attention.	

5. FIREFIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Product is not flammable. Do not use water on product. Use appropriate media for adjacent fire. Use flooding quantities of water to cool containers.
Special protective equipment and precautions for firefighters	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.

Revised on 10/25/2021 Page 2 of 6

Specific hazards arising from	Emits toxic fumes (sulfur oxides, copper oxides) under fire conditions.
the chemical	(See also Stability and Reactivity section).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	See section 8 for recommendations on the use of	
protective equipment and	personal protective equipment.	
emergency procedures		
Environmental precautions	Do not disperse dust into the air during clean-up. Any release to the	
	environment may require reporting to federal/national or local agencies.	
Methods and materials for	Do not disperse dust into the air during clean-up. Use appropriate tools	
containment and cleaning up	to pick up any spill. Pick up and arrange disposal without creating dust.	
	Sweep up and shovel. Place in a closed container. Dispose of all waste	
	or cleanup materials in accordance with local regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

Conditions for safe storage, including any incompatibilities

Store in a tightly closed container. Store in a dry, cool, and well ventilated area. Isolate from oxidizing materials. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Controls:

Component	Exposure Limits	Basis	Entity
Copper Sulfate	1 mg/m ³	REL	NIOSH

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Chemical safety glasses.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear neoprene or nitrile gloves, protective clothing appropriate to the risk of exposure.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

Revised on 10/25/2021 Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Light grey powder.
Odor	Pleasant.
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	590°C (1,202°F)
Initial boiling point and boiling range	Not Available
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	9.7 hPa (7.3 mmHg)
Vapor density	Not Available
Relative density	3.6 g/cm ³
Solubility (ies)	Soluble in water and methanol.
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	650°C (1,094°F)

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Moisture, air.
Incompatible Materials	Powdered metals, hydroxylamine, magnesium, strong reducing
-	agents.
Hazardous Decomposition Products	Sulfur oxides, copper oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Cupric Sulfate, Anhydrous

Skin	LD50 Dermal – rat - > 2000 mg/kg
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral – rat – 300 mg/kg
Intraperitoneal	LD50 – Rat – 20 mg/kg
Subcutaneous	LD50 – Rat – 43 mg/kg
Intravenous	LD50 – Rat – 48.9 mg/kg

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Revised on 10/25/2021 Page 4 of 6

Signs & Symptoms of Exposure

Eyes	May cause eye irritation. Symptoms include eye burns, pain, watering eyes
Inhalation	Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath, burning, choking, coughing, wheezing, laryngitis, shortness of breath, headache or nausea.
Skin	Contact causes redness, irritation, itching and pain. Prolonged or repeated skin exposure may cause dermatitis
Ingestion	Repeated ingestion of small amounts may cause weakness, confusion, central nervous system effects, nausea and skin eruptions.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Target Organ(s)	Liver, Kidney, Blood.
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Cupric Sulfate, Anhydrous

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	EC50 – Daphnia magna – 0.024 mg/l – 48 hours
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Very toxic to aquatic organisms

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or
	local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORT INFORMATION

US DOT	UN3077, Environmentally hazardous substances, solid, n.o.s. (copper(II) sulfate)), 9, pg III
TDG	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (COPPER (II) SULFATE), 9, pg III
IMDG	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (COPPER (II) SULFATE), 9, pg III

Revised on 10/25/2021 Page 5 of 6

Marine Pollutant	Yes
IATA/ICAO	UN3077, Environmentally hazardous substances, solid, n.o.s. (copper(II)
	sulfate), 9, pg III

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.
California Proposition 65	Not Listed
Rhode Island: Hazardous Substance List	Not Listed
Massachusetts: Toxic or Hazardous Substance List,	Listed: Cupric Sulfate, Anhydrous
Right to Know	
Pennsylvania: Hazardous Substance List	Listed: Cupric Sulfate, Anhydrous
New Jersey: Right to Know Hazardous Substance	Listed: Cupric Sulfate, Anhydrous
List	
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Acute Health Hazard.
SARA 312	Acute Health Hazard.
SARA 313	Listed: Cupric Sulfate, Anhydrous
WHMIS Canada	Not Listed

16. OTHER INFORMATION

Revision	Date
Original	07/12/2011
Revision 1	08/16/2013
Revision 2	11/03/2015
Revision 3	10/25/2021

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

Revised on 10/25/2021 Page 6 of 6