

# Cupric Sulfate, Pentahydrate, Fine Crystal, ACS

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: Cupric Sulfate, Pentahydrate, Fine Crystal, ACS

Synonyms/Generic Names: Blue Copper; Blue Vitreol; Copper (II) Sulfate Pentahydrate

Product Number: 1705

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30) www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7Days/Week)

### 2. HAZARDS IDENTIFICATION

#### Hazard Not Otherwise Classified (HNOC): None

Signal Words: Danger

**Pictograms:** 



#### **GHS Classification:**

Acute toxicity, Oral	Category 3
Skin irritation	Category 2
Eye irritation	Category 2A
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

#### GHS Label Elements, including precautionary statements:

#### Hazard Statements:

	•	
H301	Toxic if swallowed	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H410	Very toxic to aquatic life with long lasting effects.	

#### **Precautionary Statements:**

Ξ.		
	P264	Wash hands thoroughly after handling.

P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment is urgent (see first aid instruction on this label).
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

### **Potential Health Effects**

Eyes	Causes eye irritation.	
Inhalation	Harmful if inhaled. Causes respiratory tract irritation.	
Skin	Harmful if absorbed through skin. Causes skin irritation.	
Ingestion	Toxic if swallowed.	

#### **NFPA Ratings**

Health	2
Flammability	0
Reactivity	0
Specific hazard	Not Available

#### HMIS Ratings

nino itatingo		
Health	2	
Fire	0	
Reactivity	0	

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Cupric Sulfate Pentahydrate	>98	7758-99-8	231-847-6	CuSO4+5H2O	249.69 g/mol

### 4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.	
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not	
	breathing, give artificial respiration. Get medical attention.	
Skin	Flush with plenty of water for at least 15 minutes while removing contaminated clothing and	
	wash using soap. Get medical attention.	
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If	
	conscious, wash out mouth with water. Get medical attention.	

# **5. FIREFIGHTING MEASURES**

Suitable (and unsuitable)	Product is not flammable. Do not use water on product. Use	
extinguishing media	appropriate media for adjacent fire. Use flooding quantities of water	
	to cool containers.	

Special protective equipment and precautions for	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.
firefighters	
Specific hazards arising from	Emits toxic fumes (sulfur oxides, copper oxides) under fire conditions.
the chemical	(See also Stability and Reactivity section).

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Do not disperse dust into the air during clean-up. Any release to the environment may require reporting to federal/national or local agencies.
Methods and materials for containment and cleaning up	Ventilate the release area. Do not disperse dust into the air during clean-up. Use appropriate tools to pick up any spill. Pick up and arrange disposal without creating dust. Sweep up and place in a suitable closed container for disposal. Dispose of all waste or cleanup materials in accordance with local regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use.

#### Conditions for safe storage, including any incompatibilities

Store in a tightly closed container. Store in a dry, cool, and well ventilated area. Isolate from oxidizing materials. Keep away from incompatible materials (see section 10 for incompatibilities).

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Occupational Exposure Controls:**

Component	Exposure Limits	Basis	Entity
Copper sulfate Pentahydrate	1 mg/m <sup>3</sup>	REL	NIOSH

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

**REL: Recommended Exposure Limit** 

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

#### Personal Protection

Eyes	Chemical safety glasses.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear neoprene or nitrile gloves, protective clothing appropriate to the risk of exposure. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

#### Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Blue crystals, granular or powder
Odor	Not Available
Odor threshold	Not Available
pH	3.7-4.5 at 50 g/l at 25°C (77°F)
Melting point/freezing point	110°C (230°F)
Initial boiling point and boiling range	Not Available
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	9.7 hPa (7.3 mmHg)
Vapor density	Not Available
Relative density	Not Available
Solubility (ies)	Soluble
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

# **10. STABILITY AND REACTIVITY**

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Moisture
Incompatible Materials	Powered metals, anhydrous copper (II) sulfate, reacts violently with: hydroxylamine, magnesium.
Hazardous Decomposition Products	Sulfur oxides, copper oxides.

### **11. TOXICOLOGICAL INFORMATION**

#### Acute Toxicity

#### Cupric Sulfate, Pentahydrate

oupric ountile, r c	
Skin	LD50 Dermal – rat - > 2000 mg/kg
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral – rat – 300 mg/kg

#### Carcinogenicity

ouromogormony	
IARC	No components of this product present at levels greater than or equal to 0.1% is
	identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is
	identified as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is
	identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is
	identified as a carcinogen or potential carcinogen by OSHA.

#### Signs & Symptoms of Exposure

Eyes	May cause eye irritation. Symptoms include eye burns, pain, watering eyes
Inhalation	Causes irritation to the respiratory tract. Symptoms may include coughing, shortness of breath, burning, choking, coughing, wheezing, laryngitis, shortness of breath, headache or nausea.
Skin	Contact causes redness, irritation, itching and pain. Prolonged or repeated skin exposure may cause dermatitis
Ingestion	Repeated ingestion of small amounts may cause weakness, confusion, central nervous system effects, nausea and skin eruptions.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Liver, Kidney, Blood.
Reproductive Toxicity	Not Available
<b>Respiratory/Skin Sensitization</b>	Prolonged or repeated exposure may cause allergic reactions.

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Cupric Sulfate, Pentahydrate

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	EC50 – Daphnia magna (water flea) – 0.024 mg/l – 48 hours
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Very toxic to all aquatic organisms

# **13. DISPOSAL CONSIDERATIONS**

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste products or residues.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. IRANSPURT INFORMATION		
US DOT	UN3077, Environmentally hazardous substance, solid, n.o.s. (Cupric	
	sulfate), 9, pg III	
TDG	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,	
	N.O.S. (CUPRIC SULFATE), 9, PG III	
IMDG	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,	
	N.O.S. (CUPRIC SULFATE), 9, PG III	
Marine Pollutant	No	

# **14. TRANSPORT INFORMATION**

IATA/ICAO

UN3077, Environmentally hazardous substance, solid, n.o.s. (Cupric sulfate), 9, pg III

# **15. REGULATORY INFORMATION**

TSCA Inventory Status	All ingredients are listed on the TSCA Active
	inventory.
DSL / NDSL	Not Listed
California Proposition 65	Not Listed
Rhode Island: Hazardous Substance List	Not Listed
Massachusetts: Toxic or Hazardous Substance List,	Not Listed
Right to Know	
Pennsylvania: Hazardous Substance List	Not Listed
New Jersey: Right to Know Hazardous Substance	Not Listed
List	
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Acute Health Hazard.
SARA 312	Acute Health Hazard.
SARA 313	Not Listed
WHMIS Canada	Not Listed

### **16. OTHER INFORMATION**

Revision	Date
Original	01/29/2013
Revision 1	08/16/2013
Revision 2	10/28/2013
Revision 3	01/27/2016
Revision 4	10/11/2021

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.