

Safety Data Sheet

Diethanolamine NF

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Diethanolamine NF

Synonyms/Generic Names: Bis(2-hydroxyethyl)amine; 2,2'-Iminodiethanol

Product Number: 1869

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.
N4335 Temkin Rd.
Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)
www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): None

Target Organs: Liver, Kidney, Blood

Signal Words: Danger

Pictograms:



GHS Classification:

Acute toxicity, Oral	Category 4
Skin irritation	Category 2
Serious eye damage	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity-repeated exposure	Category 2
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3

GHS Label Elements, including precautionary statements:

Hazard Statements:

H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.

H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER/doctor/physician.
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

Potential Health Effects

Eyes	Causes eye irritation.
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Ingestion	Harmful if swallowed.

NFPA Ratings

Health	2
Flammability	1
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	2
Fire	1
Reactivity	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Diethanolamine	>99	111-42-2	203-868-0	C ₄ H ₁₁ NO ₂	105.14 g/mol

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
Skin	Flush with plenty of water for at least 15 minutes and wash using soap. Get medical attention.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Product is flammable. Use water spray, dry chemical, foam or carbon dioxide on fires involving this product. Use appropriate media for adjacent fire. Cool unopened containers with water.
Special protective equipment and precautions for firefighters	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.
Specific hazards arising from the chemical	Emits toxic fumes (carbon oxides, nitrogen oxides) under fire conditions. (See also Stability and Reactivity section).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
Methods and materials for containment and cleaning up	Neutralize spill. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities). Air sensitive.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Ventilation and appropriate grounding of containers.

Component	Exposure Limits	Basis	Entity
Diethanolamine	0.2 ppm 1 mg/m ³	TLV	ACGIH
	3 ppm 15 mg/m ³	REL	NIOSH

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety goggles with a face shield if splashing is likely to occur.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, apron or lab coat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Liquid.
Odor	Not Available
Odor threshold	Not Available
pH	11.0-12.0 at 105 g/l at 25°C (77°F)
Melting point/freezing point	28°C (82°F)
Initial boiling point and boiling range	217°C (423°F)
Flash point	138°C (280°F) – closed cup.
Evaporation rate	Not Available
Flammability (solid, gas)	Class II Combustible liquid
Upper/lower flammability or explosive limit	LEL: 1.6%; UEL: 10.6%
Vapor pressure	Not Available
Vapor density	3.63 (air=1)
Density	1.097 g/mL at 25°C (77°F)
Solubility (ies)	105 g/l at 20°C (68°F) – completely soluble
Partition coefficient: n-octanol/water	Log Pow: -2.18
Auto-ignition temperature	662°C (1223.6°F)
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Absorbs CO ₂ from the air.
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Not Available
Incompatible Materials	Strong oxidizing agents, copper, zinc, iron.
Hazardous Decomposition Products	Carbon oxides, nitrogen oxides.

11. TOXICOLOGICAL INFORMATION**Acute Toxicity**

Skin	LD50 Dermal – rabbit – 12,200 mg/kg
Eyes	Eyes – rabbit – Severe eye irritation – 24 hours
Respiratory	Not Available
Ingestion	LD50 Oral – rat – 710 mg/kg
Other	LD50 Intraperitoneal – rat – 120 mg/kg LD50 – Intravenous – rat – 778 mg/kg

Carcinogenicity

IARC	2B - Group 2B: Possibly carcinogenic to humans (Diethanolamine).
-------------	--

ACGIH	A3: Confirmed animal carcinogen with unknown relevance to humans.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Irritation, itchiness, redness.
Eyes	Irritation, itchiness, redness, tearing.
Respiratory	Coughing, wheezing, irritation.
Ingestion	Irritation, nausea, vomiting, diarrhea.

Chronic Toxicity	Repeated dose toxicity - Rat - male and female - Oral - Lowest observed adverse effect level - 25 mg/kg.
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Target Organ(s)	Liver, Kidney, Blood
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	Mortality NOEC – Cyprinodon variegatus (sheepshead minnow) – 540 mg/l – 96 Hours LC50 – Pimephales promelas (fathead minnow) – 1,460 mg/l – 96 hours
Aquatic Invertebrate	Mortality NOEC – Daphnia magna (water flea) - <4.42 mg/l – 11 days EC50 – Daphnia magna (water flea) – 55 mg/l - 48 hours
Terrestrial	Not Available

Persistence and Degradability	Result: >90% - Readily biodegradable.
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Harmful to aquatic life

13. DISPOSAL CONSIDERATIONS

Waste Product or Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product or residue.
Product Containers	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN3082, Environmentally hazardous substances, liquid, n.o.s., (Diethanolamine), 9, pg III
--------	---

TDG	Not Dangerous Goods
IMDG	Not Dangerous Goods
Marine Pollutant	No
IATA/ICAO	Not Dangerous Goods

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.
California Proposition 65	Listed: Diethanolamine
; Rhode Island: Hazardous Substance List	Listed: Diethanolamine
Massachusetts: Toxic or Hazardous Substance List, Right to Know	Listed: Diethanolamine
Pennsylvania: Hazardous Substance List	Listed: Diethanolamine
New Jersey: Right to Know Hazardous Substance List	Listed: Diethanolamine
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Acute Health Hazard, Chronic Health Hazard.
SARA 312	Acute Health Hazard, Chronic Health Hazard.
SARA 313	Not Listed
WHMIS Canada	Class D2A: Poisonous and infectious material – Other effects – Very toxic. Class D2B: Poisonous and infectious material – Other effects – Toxic.

16. OTHER INFORMATION

Revision	Date
Original	10/07/2015
Revision 1	06/20/2018
Revision 2	03/02/2023

Disclaimer: The information provided in this Safety Data Sheet (“SDS”) is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.