

## **Safety Data Sheet**

# Isopropyl Alcohol ACS

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Isopropyl Alcohol ACS

Synonyms/Generic Names: IPA, Isopropanol, 2-propanol, sec-Propyl alcohol

**Product Number: 2890** 

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)

www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

#### 2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): None

Target Organ(s): Nerves, Kidneys, Cardiovascular system, Gastrointestinal tract, Liver

Signal Word: Danger

Pictograms:



#### **GHS Classification:**

Flammable liquids	Category 2
Skin irritation	Category 3
Eye irritation	Category 2A
Specific target organ toxicity-single exposure	Category 3

#### GHS Label Elements, including precautionary statements:

#### **Hazard Statements:**

•	lazara otatemento.		
H225 Highly flammable liquid and vapor			
H316 Causes mild skin irritation.			
	H319 Causes serious eye irritation.		
H336 May cause drowsiness or dizziness.		May cause drowsiness or dizziness.	

Revised on 03/04/2022 Page 1 of 7

**Precautionary Statements:** 

recadionary otatements:				
Keep away from heat/sparks/open flames/hot surfaces. No smoking.				
Keep container tightly closed.				
Ground/Bond container and receiving equipment.				
Use explosion-proof electrical/ventilating/lighting/equipment.				
Use only non-sparking tools.				
Take precautionary measures against static discharge.				
Avoid breathing dust/fume/gas/mist/vapors/spray.				
Wash hands thoroughly after handling.				
Use only outdoors or in a well-ventilated area.				
Wear protective gloves/protective clothing/eye protection/face protection.				
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse				
skin with water/shower.				
IF INHALED: Remove person to fresh air and keep comfortable for				
breathing.				
1+P338   IF IN EYES: Rinse cautiously with water for several minutes. Remove				
contact lenses, if present and easy to do. Continue rinsing.				
Call a POISON CENTER/doctor/physician if you feel unwell.				
If skin irritation occurs: Get medical advice/attention.				
If eye irritation persists: Get medical advice/attention.				
In case of fire: Use appropriate media to extinguish.				
Store in a well-ventilated place. Keep container tightly closed.				
Store locked up.				
Dispose of contents/container in accordance with local regulations.				

#### **Potential Health Effects**

Eyes	Causes eye irritation.	
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness. Can cause irritation of mucous membranes and central nervous system depression.	
Skin	May be harmful if absorbed through skin. Causes skin irritation.	
Ingestion	May be harmful if swallowed.	

#### **NFPA Ratings**

Health	1
Flammability	3
Reactivity	0
Specific hazard	Not Available

#### **HMIS Ratings**

Health	2
Fire	3
Reactivity	0

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Isopropyl Alcohol	>99	67-63-0	200-661-7	C₃H <sub>8</sub> O	60.10 g/mol

## 4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.			
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not			
	breathing, give artificial respiration. Get medical attention.			
Skin Flush with plenty of water for at least 15 minutes while removing contaminated clothin				
	wash using soap. Get medical attention.			

Revised on 03/04/2022 Page 2 of 7

Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If			
	conscious, wash out mouth with water. Get medical attention.			

## 5. FIREFIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Flammable in the presence of a source of ignition when the temperature is above the flash point. Use water spray, alcoholresistant foam, dry chemical or carbon dioxide. Use appropriate media for adjacent fire. Cool containers with water.		
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective		
and precautions for firefighters	clothing, including eye protection and boots. Use water spray to cool		
	fire-exposed containers and disperse vapors. Containers may rupture		
	in the heat of the fire. Do not use direct water stream, may spread the		
	fire.		
Specific hazards arising from	Emits toxic fumes (carbon oxides) under fire conditions.		
the chemical	Vapors can travel to a source of ignition and flash back. Containers		
	may explode in a fire. Cool containers from a distance using water		
	spray. Flames may be invisible. (See also Stability and Reactivity		
	section)		

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	See section 8 for recommendations on the use of personal protective equipment.	
Environmental precautions	Do not let product enter drains. Any release to the environment may be	
	subject to federal/national or local reporting requirements.	
Methods and materials for	Absorb spill with vermiculite or other noncombustible absorbent	
containment and cleaning up	material, then place in a suitable container for disposal. Clean surfaces	
	thoroughly with water to remove residual contamination. Dispose of all	
	waste and cleanup materials in accordance with local regulations.	

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Use with adequate ventilation and grounding. Wash thoroughly after using. Keep container closed when not in use. See section 8 for recommendations on the use of personal protective equipment. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Take measure to prevent the buildup of electrostatic charge.

#### Conditions for safe storage, including any incompatibilities

Store in tightly closed, original containers in a cool, dry, well ventilated area. Do not store with strong oxidizing agents, strong acids, peroxides, aldehydes, halogens, ammonia, acid anhydrides or alkali metals. Keep away from incompatible materials (see section 10 for incompatibilities).

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Appropriate grounding of containers.

Component	Exposure Limits	Basis	Entity
Isopropyl Alcohol	200 ppm 492 mg/m <sup>3</sup>	TLV	ACGIH

Revised on 03/04/2022 Page 3 of 7

	400 ppm 984 mg/m <sup>3</sup>	STEL	ACGIH
	400 ppm 980 mg/m <sup>3</sup>	PEL	OSHA
1	2000 ppm	IDLH	OSHA
	400 ppm 980 mg/m <sup>3</sup>	REL	NIOSH
	500 ppm 1225 mg/m <sup>3</sup>	STEL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work. REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

#### **Personal Protection**

Eyes	Wear chemical safety glasses or goggles, and face shield.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an
	approved respirator.
Skin	Wear nitrile or rubber gloves, and full body covering. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

#### **Other Recommendations**

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling. Have supplies and equipment for neutralization and running water available.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Mild alcohol
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	-89°C (-129°F)
Initial boiling point and boiling range	82°C (180°F)
Flash point	12°C (54°F)
Evaporation rate	3.0
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	LEL: 2.5% UEL:12%
Vapor pressure	33 mmHg (@ 20°C)
Vapor density	2.07 (air=1)
Relative density	Not Available
Solubility (ies)	Completely soluble in water
Partition coefficient: n-octanol/water	Log Pow: 0.05
Auto-ignition temperature	399°C (750°F)
Decomposition temperature	Not Available

#### 10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.

Page 4 of 7 Revised on 03/04/2022

Conditions to Avoid	Keep away from heat, flame and sparks
Incompatible Materials	Acids, alkali metals, oxidizing agents, iron salts, potassium,
	aluminum. May attack plastics and rubber.
Hazardous Decomposition Products	Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

#### **Acute Toxicity**

Skin	LD50 – rabbit – 18,286 mg/kg
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 – mouse – 5,143 mg/kg

#### Carcinogenicity

IARC	3-Group 3: Not classifiable as to its carcinogenicity to humans (Isopropyl Alcohol).
ACGIH	A4: Not classifiable as a human carcinogen (Isopropyl Alcohol).
NTP	No components of this product present at levels greater than or equal to 0.1% is
	identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is
	identified as a carcinogen or potential carcinogen by OSHA.

## Signs & Symptoms of Exposure

Skin	Burning, itching, redness. May be harmful if absorbed through skin.
Eyes	Redness, excessive blinking and watering eyes.
Respiratory	Coughing, wheezing, headache, disorientation, blurred vision, dizziness, fatigue or
	nausea.
Ingestion	Nausea, vomiting and central nervous system depression.

Chronic Toxicity	May cause damage to the following organs: kidneys, liver, skin, central
	nervous system.
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Pre- and Post- implant mortality.
Target Organ(s)	May cause drowsiness or dizziness. Nerves, Kidneys, Cardiovascular
	system, Gastrointestinal tract, Liver
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

## 12. ECOLOGICAL INFORMATION

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

Revised on 03/04/2022 Page 5 of 7

#### 13. DISPOSAL CONSIDERATIONS

Waste Product or	Users should review their operations in terms of the applicable federal/national or
Residues	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product or residue.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

#### 14. TRANSPORTATION INFORMATION

US DOT	UN1219, Isopropanol, 3, pg II	
TDG	UN1219, ISOPROPANOL, 3, PG II	
IMDG	UN1219, ISOPROPANOL, 3, PG II	
Marine Pollutant	No	
IATA/ICAO	UN1219, Isopropanol, 3, pg II	

## 15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active
	inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.
California Proposition 65	Not Listed
Rhode Island: Hazardous Substance List	Listed: Isopropyl Alcohol
Massachusetts: Toxic or Hazardous Substance List,	Listed: Isopropyl Alcohol
Right to Know	
Pennsylvania: Hazardous Substance List	Listed: Isopropyl Alcohol
New Jersey: Right to Know Hazardous Substance	Listed: Isopropyl Alcohol
List	
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Fire Hazard, Acute Health Hazard, Chronic Health
	Hazard.
SARA 312	Fire Hazard, Acute Health Hazard, Chronic Health
	Hazard.
SARA 313	Listed: Isopropyl Alcohol (mfg-strong acid
	process).
WHMIS Canada	Class B2: Flammable and combustible material –
	Flammable liquid.
	Class D2B: Poisonous and infectious material –
	Other effects – Toxic.

Revised on 03/04/2022 Page 6 of 7

#### 16. OTHER INFORMATION

Revision	Date
Original	12/11/2017
Revision 1	03/04/2022

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

Revised on 03/04/2022 Page 7 of 7