

Safety Data Sheet

Sulfuric Acid, Babcock, SG 1.825 +/- 0.005 @ 20°C

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Sulfuric Acid, Babcock, SG 1.825 +/- 0.005 @ 20°C

Synonyms/Generic Names: Battery Acid, Dihydrogen Sulfate, Oil of Vitriol

Product Number: 5701

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)

www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): None

Signal Words: Danger

Pictograms:



GHS Classification:

Skin corrosion	Category 1A
Serious eye damage	Category 1
Acute aquatic toxicity	Category 3

GHS Label Elements, including precautionary statements:

Hazard Statements:

- 3				
	H314 Causes severe skin burns and eye damage.			
H402 Harmful to aquatic life.		Harmful to aquatic life.		

Precautionary Statements:

P260	Do not breathe dusts or mists.		
P264	Wash hands thoroughly after handling.		
P273	Avoid release to the environment.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do not induce vomiting.		

Revised on 12/06/2021 Page 1 of 6

	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse		
P303+P361+P353	3 skin with water/shower.		
	IF INHALED: Remove person to fresh air and keep comfortable for		
P304+P340	breathing.		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove		
P305+P351+P338	contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/physician.		
P363	Wash contaminated clothing before reuse.		
1 000	ride: contaminated distining policies		
P405	Store locked up.		

Potential Health Effects

Eyes	Causes severe eye burns.		
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous		
	membranes and upper respiratory tract.		
Skin	May be harmful if absorbed through skin. Causes skin burns.		
Ingestion	estion May be harmful if swallowed.		

NFPA Ratings

Health	3
Flammability	0
Reactivity	2
Specific hazard	W

HMIS Ratings

Health	3
Fire	0
Reactivity	2

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Sulfuric Acid	92-94	7664-93-9	231-939-5	H ₂ SO ₄	98.08 g/mol
Water	Balance	7732-18-5	231-791-2	H ₂ O	18.00 g/mol

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes. Get medical attention immediately.		
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not		
	breathing, give artificial respiration. Get medical attention immediately.		
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated		
	clothing and wash using soap. Get medical attention immediately.		
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If		
-	conscious, wash out mouth with water. Get medical attention immediately.		

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) Product is not flammable. Use appropriate media for adjacer		
extinguishing media	Cool containers with water.	
Special protective equipment Wear self-contained, approved breathing apparatus and full p		
and precautions for	clothing, including eye protection and boots.	
firefighters		
Specific hazards arising from	Emits toxic fumes (sulfur oxides, hydrogen sulfide gas) under fire	
the chemical	conditions. (See also Stability and Reactivity section).	

Revised on 12/06/2021 Page 2 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and	See section 8 for recommendations on the use of personal protective equipment.	
emergency procedures		
Environmental precautions	Prevent spillage from entering drains. Any release to the environment	
	may be subject to federal/national or local reporting requirements.	
Methods and materials for containment and cleaning up	Prevent spillage from entering drains. Neutralize spill with sodium bicarbonate or lime. Absorb spill with noncombustible absorbent	
containing ap	material, then place in a suitable container for disposal. Clean surfaces	
	thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Sulfuric Acid	Sulfuric Acid 0.2 mg/m ³		ACGIH
	1 mg/m ³	PEL	OSHA
	1 mg/m ³ `	REL	NIOSH
	15 mg/m ³	IDLH	OSHA

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit
PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles, and face shield.	
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an	
	approved respirator.	
Skin	Wear nitrile or rubber gloves, and full body suit.	
Other	Not Available	

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

Revised on 12/06/2021 Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid.
Odor	Odorless.
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Specific gravity	1.820 – 1.830
Solubility (ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Moisture.
Incompatible Materials	Bases, halides, organic material, carbides, chlorates, fulminates, nitrates, picrates, cyanides, cyclopentadiene, cyclopentanone oxime, nitroaryl amines, hexalithium disilicide, phosphorus (III) oxide, powdered metals.
Hazardous Decomposition Products	Sulfur oxides, hydrogen sulfide gas.

11. TOXICOLOGICAL INFORMATION

Acute ToxicitySulfuric Acid

Skin	Not Available
Eyes	Not Available
Respiratory	LD50 – Rat – 510 mg/m ³ – 2h
Ingestion	LD50 – Rat – 2,140 mg/kg

Carcinogenicity

IARC	1: Carcinogenic to humans (Sulfuric Acid-Aerosol).	
ACGIH	A2: Suspected human carcinogen (Sulfuric Acid-Aerosol).	
NTP	No components of this product present at levels greater than or equal to 0.1% is	
	identified as a known or anticipated carcinogen by NTP.	
OSHA	No components of this product present at levels greater than or equal to 0.1% is	
	identified as a carcinogen or potential carcinogen by OSHA.	

Signs & Symptoms of Exposure

Skin	Burning, itching, redness, inflammation upon exposed tissue.	
Eyes	Eye burns, watering eyes.	
Respiratory	Burning, choking, coughing, shortness of breath.	
Ingestion	Nausea, vomiting, diarrhea, burning, severe pain.	

Revised on 12/06/2021 Page 4 of 6

Chronic Toxicity	May cause bleeding of nose and gums, nasal and oral mucosal ulceration, conjunctivitis, yellowing of teeth and erosion of tooth enamel.
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Target Organ(s)	Teeth, Lungs
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Sulfuric Acid

Aquatic Vertebrate LC50 – Gambusia affinis – 42 mg/L – 96h		
Aquatic Invertebrate	e EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h	
Terrestrial Not Available		

Persistence and Degradability	Not Available
Bioaccumulative Potential	Does not accumulate.
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container or residue.	
Product Containers	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.	

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN1830, Sulfuric acid, 8, pg II
TDG	UN1830, SULFURIC ACID, 8, pg II
IMDG	UN1830, SULFURIC ACID, 8, pg II
Marine Pollutant	No
IATA/ICAO	UN1830, Sulfuric acid, 8, pg II

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.

Revised on 12/06/2021 Page 5 of 6

California Proposition 65	Not Listed
Rhode Island: Hazardous Substance List	Listed: Sulfuric Acid
Massachusetts: Toxic or Hazardous Substance List,	Not Listed
Right to Know	
Pennsylvania: Hazardous Substance List	Listed: Sulfuric Acid
New Jersey: Right to Know Hazardous Substance	Listed: Sulfuric Acid
List	
SARA 302	Listed: Sulfuric Acid
SARA 304	Listed: Sulfuric Acid
SARA 311	Acute Health Hazard.
SARA 312	Acute Health Hazard.
SARA 313	Listed: Sulfuric Acid (aerosol forms only)
WHMIS Canada	Class D1A: Poisonous and infectious material –
	Immediate and serious effects – Very toxic.
	Class E: Corrosive material.

16. OTHER INFORMATION

Revision	Date
Original	02/15/2013
Revision 1	03/04/2015
Revision 2	04/30/2019
Revision 3	12/06/2021

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

Revised on 12/06/2021 Page 6 of 6