

Safety Data Sheet

Ammonium Hydroxide, 12%, (W/W as NH₃), Reagent

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ammonium Hydroxide, 12%, (W/W as NH₃), Reagent

Synonyms/Generic Names: Aqueous ammonia, Ammonia solution

Product Number: 8139

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)

www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): Lachrymator

Signal Word: Danger

Pictograms:



GHS Classification:

Acute toxicity, Oral	Category 4
Skin corrosion	Category 1A
Serious eye damage	Category 1
Acute aquatic toxicity	Category 1

GHS Label Elements, including precautionary statements:

Hazard Statements:

i luzur a Otatomontor		
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H400	Very toxic to aquatic life.	

Precautionary Statements:

P260	Do not breathe dust/fume/gas/mist/vapors/spray.		

Revised on 04/11/2022 Page 1 of 6

P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do not induce vomiting.
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
P303+P361+P353	skin with water/shower.
	IF INHALED: Remove person to fresh air and keep comfortable for
P304+P340	breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P305+P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

Potential Health Effects

	7.001.01.01.11.10.01.01.1.1.10.01.01.		
Eyes	Causes eye burns.		
Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucou			
	membranes and upper respiratory tract.		
Skin	Skin May be harmful if absorbed through skin. Causes skin burns.		
Ingestion	Toxic if swallowed.		

NFPA Ratings

Health	3
Flammability	0
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	3
Fire	0
Reactivity	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Ammonium Hydroxide	11-13	1336-21-6	215-647-6	NH₄OH	35.04 g/mol
Water	Balance	7732-18-5	231-791-2	H₂O	18.00 g/mol

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention immediately.		
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not		
	breathing, give artificial respiration. Get medical attention immediately.		
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated		
	clothing and wash using soap. Get medical attention immediately.		
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If		
	conscious, wash out mouth with water. Get medical attention immediately.		

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable)	Product is not flammable. Use appropriate media for adjacent fire.
extinguishing media	Cool unopened containers with water.

Revised on 04/11/2022 Page 2 of 6

Special protective equipment	Wear self-contained, approved breathing apparatus and full protective	
and precautions for	clothing, including eye protection and boots.	
firefighters		
Specific hazards arising from	ising from Emits toxic fumes (nitrogen oxides, ammonia) under fire conditions.	
the chemical	(See also Stability and Reactivity section).	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	See section 8 for recommendations on the use of personal protective
protective equipment and	equipment.
emergency procedures	
Environmental precautions	Prevent spillage from entering drains. Any release to the environment
	may be subject to federal/national or local reporting requirements.
Methods and materials for	Absorb spill with noncombustible absorbent material, then place in a
containment and cleaning up	suitable container for disposal. Clean surfaces thoroughly with water to
	remove residual contamination. Dispose of all waste and cleanup
	materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Ammonium Hydroxide	25 ppm	TWA	ACGIH
-	35 ppm	STEL	ACGIH
	25 ppm 18 mg/m ³	TWA	NIOSH
	35 ppm 27 mg/m ³	STEL	NIOSH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an
	approved respirator.

Revised on 04/11/2022 Page 3 of 6

Skin	Wear nitrile or rubber gloves, apron or lab coat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the
	specific workplace.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Ammonia-like
Odor threshold	Not Available
pH	Basic, >11
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Specific gravity	0.9800-0.9900
Solubility (ies)	Completely soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Not Available
Incompatible Materials	Zinc, iron, copper.
Hazardous Decomposition Products	Nitrogen oxides, ammonia.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Ammonium Hydroxide

Skin	Not Available
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 Oral - rat - 350 mg/kg

Carcinogenicity

IARC	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Revised on 04/11/2022 Page 4 of 6

OSHA	No components of this product present at levels greater than or equal to 0.1% is
	identified as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Causes severe irritation. Causes skin burns. May cause deep, penetrating ulcers of the skin. Contact with skin may cause staining, inflammation, and thickening of the skin.
Eyes	Severe burns and possible irreversible eye damage including corneal injury and cataracts.
Respiratory	Coughing burns, breathing difficulty. May cause acute pulmonary edema, pneumoconiosis, fibrosis, and even coma. It is a respiratory stimulant when inhaled at lower concentrations.
Ingestion	Burns, swelling of the lips, mouth, and larynx, throat constriction, nausea, vomiting, convulsions, shock, and may cause severe and permanent damage to gastrointestinal tract.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Mutagenic for bacteria and/or yeast.
Embryotoxicity	Not Available
Target Organ(s)	Not Available
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ammonium Hydroxide

Aquatic Vertebrate	mortality NOEC - Oncorhynchus tshawytscha - 3.5 mg/l - 3.0 d
Aquatic Invertebrate	LC50 - Daphnia magna (Water flea) - 32 mg/l - 50 h
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Very toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Waste Product or	Users should review their operations in terms of the applicable federal/national or	
Residues	local regulations and consult with appropriate regulatory agencies if necessary	
	before disposing of waste product or residue.	
Product	Users should review their operations in terms of the applicable federal/national or	
Containers	local regulations and consult with appropriate regulatory agencies if necessary	
	before disposing of waste product container.	

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN2672, Ammonia solution, 8, pg III	

Revised on 04/11/2022 Page 5 of 6

TDG	UN2672, AMMONIA SOLUTION, 8, PG III	
IMDG	UN2672, AMMONIA SOLUTION, 8, PG III	
Marine Pollutant	Yes	
IATA/ICAO	UN2672, Ammonia solution, 8, pg III	

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.	
DSL / NDSL	All ingredients are listed on the DSL inventory.	
California Proposition 65	Not Listed	
Rhode Island: Hazardous Substance List	Not Listed	
Massachusetts: Toxic or Hazardous Substance List,	Not Listed	
Right to Know		
Pennsylvania: Hazardous Substance List	Listed: Ammonium Hydroxide	
New Jersey: Right to Know Hazardous Substance	Listed: Ammonium Hydroxide	
List		
SARA 302	Not Listed	
SARA 304	Not Listed	
SARA 311	Acute Health Hazard.	
SARA 312	Acute Health Hazard.	
SARA 313	Listed: Ammonium Hydroxide	
WHMIS Canada	Class D1B: Poisonous and infectious material -	
	Immediate and serious effects – Toxic.	
	Class E: Corrosive material.	

16. OTHER INFORMATION

Revision	Date
Original	07/12/2011
Revision 1	07/31/2013
Revision 2	04/21/2016
Revision 3	11/16/2017
Revision 4	04/11/2022

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

Revised on 04/11/2022 Page 6 of 6