

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 20-Jul-2023 Revision Number 1

## 1. Identification

Product identifier

Product Name Bright Dip DT

Other means of identification

Product Code(s) 9050

UN number or ID number UN3264

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended use Industrial use

Laboratory use

Industrial Manufacturing (all)

Restrictions on use No information available

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI 53925 USA Phone: (920) 623-2140

Fax: (920) 623-2577 www.columbuschemical.com

## Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 for US / 703-527-3887 outside US

Emergency Telephone 911

## 2. Hazard(s) identification

### Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 1
Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

#### **Danger**

#### **Hazard statements**

H301 - Toxic if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H330 - Fatal if inhaled

H331 - Toxic if inhaled



#### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P262 - Do not get in eyes, on skin, or on clothing

P271 - Use only outdoors or in a well-ventilated area

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P284 - Wear respiratory protection

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

P320 - Specific treatment is urgent (see First-Aid Measures on SDS)

P310 - Immediately call a POISON CENTER or doctor

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

P405 - Store locked up

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

### **Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Unknown acute toxicity

12 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

52 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

80 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

#### Other information

No information available.

## 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%	Formula	Molecular Weight
Sulfuric acid	7664-93-9	36 - 40	H <sub>2</sub> SO <sub>4</sub>	98.08 g/mol
Phosphoric acid	7664-38-2	24 - 28	H <sub>3</sub> PO <sub>4</sub>	98.00 g/mol
Water	7732-18-5	Balance	H <sub>2</sub> O	18.00 g/mol
Nitric acid	7697-37-2	8 - 12	HNO₃	63.01 g/mol
Hydrogen fluoride	7664-39-3	1 - 5	HF	20.01 g/mol

## 4. First-aid measures

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Inhalation** Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical

attention.

Eye contact Get immediate medical attention. Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Get immediate medical attention. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Wear personal protective clothing

(see section 8). Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation.

#### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood

pressure may occur with moist rales, frothy sputum, and high pulse pressure.

## 5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

**Specific hazards arising from the** The product causes burns of eyes, skin and mucous membranes. Thermal decomposition

**chemical** can lead to release of irritating gases and vapors.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Attention! Corrosive

material. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using

this product.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up. Protect from moisture. Store away from other materials.

## 8. Exposure controls/personal protection

### Control parameters

### **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup> thoracic	TWA: 1 mg/m³ (vacated):	IDLH: 15 mg/m <sup>3</sup>
	particulate matter	1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Phosphoric acid	STEL: 3 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup>
	TWA: 1 mg/m <sup>3</sup>	(vacated) TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
		(vacated) STEL: 3 mg/m <sup>3</sup>	STEL: 3 mg/m <sup>3</sup>
Nitric acid	STEL: 4 ppm	TWA: 2 ppm	IDLH: 25 ppm
	TWA: 2 ppm	TWA: 5 mg/m <sup>3</sup>	TWA: 2 ppm
		(vacated) TWA: 2 ppm	TWA: 5 mg/m <sup>3</sup>

		(vacated) TWA: 5 mg/m <sup>3</sup>	STEL: 4 ppm
		(vacated) STEL: 4 ppm	STEL: 10 mg/m <sup>3</sup>
		(vacated) STEL: 10 mg/m <sup>3</sup>	-
Hydrogen fluoride	TWA: 0.5 ppm	TWA: 3 ppm F	IDLH: 30 ppm
	FS*Ceiling: 2 ppm F	TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 250 mg/m <sup>3</sup> F
		(vacated) TWA: 3 ppm F	Ceiling: 6 ppm 15 min
		(vacated) TWA: 2.5 mg/m <sup>3</sup>	Ceiling: 5 mg/m <sup>3</sup> 15 min
		(vacated) STEL: 6 ppm F	TWA: 3 ppm
			TWA: 2.5 mg/m <sup>3</sup>

## Biological occupational exposure limits

Chemical name	ACGIH
Hydrogen fluoride	3 mg/g creatinine - urine (Fluoride) - prior to shift 10 mg/g
	creatinine - urine (Fluoride) - end of shift

#### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing. Impervious clothing. Chemical

resistant apron.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorClear

Odor No information available Odor threshold No information available

Property **Values** Remarks • Method pН No data available pH (as aqueous solution) No data available Melting point / freezing point No data available No data available Initial boiling point and boiling No data available No data available range No data available Flash point No data available **Evaporation rate** No data available No data available **Flammability** No data available No data available Flammability Limit in Air

**Upper flammability or explosive** No data available

limits No data available

Lower flammability or explosive No data available

Vapor pressureNo data availableNo data availableRelative vapor densityNo data availableNo data available

Relative density 1.5929

Water solubility Soluble in water

Solubility(ies)No data availableNo data availablePartition coefficientNo data availableNo data availableAutoignition temperatureNo data availableNo data available

**Decomposition temperature** 

Kinematic viscosityNo data availableNo data availableDynamic viscosityNo data availableNo data available

Other information

limits

Explosive properties No information available Oxidizing properties No information available Softening point No information available

Molecular weight

VOC content
Liquid Density
No information available
No information available
No information available

## 10. Stability and reactivity

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

**Incompatible materials** Acids. Bases. Oxidizing agent.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation.

(based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs.

No data available

Pulmonary edema can be fatal.

**Eye contact** Specific test data for the substance or mixture is not available. Causes serious eye

damage. (based on components). Corrosive to the eyes and may cause severe damage

including blindness. May cause irreversible damage to eyes.

**Skin contact** Specific test data for the substance or mixture is not available. Fatal in contact with skin.

(based on components). Corrosive. Causes burns.

**Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on

components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. Coughing and/ or wheezing.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 85.02 mg/kg
ATEmix (dermal) 47.50 mg/kg
ATEmix (inhalation-gas) 1,931.5500 ppm
ATEmix (inhalation-vapor) 99,999.00 mg/l
ATEmix (inhalation-dust/mist) 0.3347 mg/l

#### Unknown acute toxicity

12 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

52 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

80 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sulfuric acid	2,140 mg/kg	-	=0.375 ml/l (Rat) 4h
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m <sup>3</sup> (Rat) 1 h
Water	>90 mL/kg (Rat)	-	-
Nitric acid	-	-	= 2500 ppm (Rat) 1 h
Hydrogen fluoride	-	-	= 0.79 mg/L (Rat) 1 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes severe skin burns and eye

damage.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye damage. Causes

burns.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity**No information available.

**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Sulfuric acid	A2: Suspected human	1: Carcinogenic to	Known to be a human	X
	carcinogen (aerosol	humans (aerosol forms	carcinogen (aerosol	
	forms only)	only)	forms only)	

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Target organ effects** Respiratory system, Eyes, Skin, Teeth.

**Aspiration hazard** No information available.

Other adverse effects No information available.

**Interactive effects**No information available.

## 12. Ecological information

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sulfuric acid	No data available	96h LC50: > 500 mg/L	No data available	No data available
		(Brachydanio rerio)		
Nitric acid	-	96h LC50: = 72 mg/L	-	-
		(Gambusia affinis)		
Hydrogen fluoride	-	-	-	48h EC50: = 270 mg/L
				(Daphnia species)

Persistence and degradability No information available.

**Bioaccumulation** 

**Component Information** 

Component information			
Chemical name	Partition coefficient		
Phosphoric acid	-0.9		
Nitric acid	-2.3		
Hydrogen fluoride	-1.4		

Other adverse effects No information available.

## 13. Disposal considerations

## **Disposal methods**

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers. Dispose of contents/containers in accordance with local

regulations.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

## 14. Transport information

DOT Regulated UN number or ID number UN3264

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s., (Sulfuric acid, Phosphoric acid, Nitric acid, and

Hydrofluoric acid)

Transport hazard class(es) 8 Ш Packing group **DOT Marine Pollutant** No

**TDG** Regulated

**UN** number or ID number UN3264

**UN proper shipping name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (SULFURIC ACID, PHOSPHORIC

ACID, NITRIC ACID, AND HYDROFLUORIC ACID)

Transport hazard class(es) **Packing group** Ш

ICAO (air) Regulated

**UN number or ID number UN proper shipping name** Corrosive liquid, acidic, inorganic, n.o.s., (Sulfuric acid, Phosphoric acid, Nitric acid,

Hydrofluoric acid)

UN3264

Transport hazard class(es) 8 **Packing group** Ш

Regulated **UN** number or ID number UN3264

**UN proper shipping name** Corrosive liquid, Acidic, Inorganic, n.o.s., (Sulfuric acid, Phosphoric acid, Nitric acid, and

Hydrofluoric acid)

Transport hazard class(es) 8 Ш **Packing group** 

**IMDG** Regulated **UN** number or ID number UN3264

**UN proper shipping name** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (SULFURIC ACID, PHOSPHORIC

ACID, NITRIC ACID, AND HYDROFLUORIC ACID)

Transport hazard class(es) **Packing group** Ш

## 15. Regulatory information

### **International Inventories**

**TSCA** Complies. DSL/NDSL Complies.

Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Sulfuric acid 7664-93-9	1.0
Nitric acid 7697-37-2	1.0
Hydrogen fluoride 7664-39-3	1.0

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous
	Quantities			Substances
Sulfuric acid	1000 lb	-	-	X
Phosphoric acid	5000 lb	-	-	X
Nitric acid	1000 lb	-	-	X
Hydrogen fluoride	100 lb	-	-	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous	Reportable Quantity (RQ)
		Substances RQs	
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
			RQ 454 kg final RQ
Phosphoric acid	5000 lb	-	RQ 5000 lb final RQ
			RQ 2270 kg final RQ
Nitric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
			RQ 454 kg final RQ
Hydrogen fluoride	100 lb	100 lb	RQ 100 lb final RQ
			RQ 45.4 kg final RQ

## US State Regulations

## **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Sulfuric acid	Carcinogen	
7664-93-9		

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid	X	X	X
Phosphoric acid	X	X	X
Water	-	-	X
Nitric acid	X	X	X
Hydrogen fluoride	X	X	X

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## 16. Other information

NFPAHealth hazards4Flammability0Instability0Special hazards-HMISHealth hazards4Flammability0Physical hazards0Personal protectionX

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 20-Jul-2023

**Revision Note** No information available.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**