

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 14-Aug-2023

Revision Number 1

1. Identification				
Product identifier				
Product Name	Ether 2% Stabilized			
Other means of identification				
Product Code(s)	2040			
UN number or ID number	UN1155			
Synonyms	No information available			
Recommended use of the chemica	al and restrictions on use			
Recommended use	Recommended use Industrial use Laboratory use Industrial Manufacturing (all)			
Restrictions on use	No information available			
Details of the supplier of the safet	y data sheet			
Supplier Address Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI 53925 USA Phone: (920) 623-2140 Fax: (920) 623-2577 www.columbuschemical.com				
Emergency telephone number				
24 Hour Emergency Phone Numbe	r CHEMTREC: 1-800-424-9300 for US / 703-527-3887 outside US			
Emergency Telephone	911			
2. Hazard(s) identification				
<u>Classification</u>				
Acute toxicity - Oral	Category 4			
Specific target organ toxicity (single Flammable liquids	exposure) Category 3 Category 1			
L				
Hazards not otherwise classified (HNOC) Not applicable				
l abol olomonts				

Label elements Danger

Hazard statements

H302 - Harmful if swallowed

H336 - May cause drowsiness or dizziness

H224 - Extremely flammable liquid and vapor.



Precautionary Statements - Prevention

- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 Keep container tightly closed
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment
- P242 Use only non-sparking tools
- P243 Take action to prevent static discharges
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P235 Keep cool

Precautionary Statements - Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

May be harmful if inhaled.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Formula	Molecular Weight
Ethyl ether	60-29-7	>98	C4H10O	74.12 g/mol
Ethyl alcohol	64-17-5	<2	C₂H₅OH	46.07 g/mol

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.		
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.		
Indication of any immediate medica	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Explosion data Sensitivity to mechanical impac	ct None.
Sensitivity to static discharge	Yes.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate

	ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.				
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.				
Methods and material for containme	Methods and material for containment and cleaning up				
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.				
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.				

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment.
Conditions for safe storage,	including any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethyl ether	STEL: 500 ppm	TWA: 400 ppm	IDLH: 1900 ppm
	TWA: 400 ppm	TWA: 1200 mg/m ³	
		(vacated) TWA: 400 ppm	
		(vacated) TWA: 1200 mg/m ³	
		(vacated) STEL: 500 ppm	
		(vacated) STEL: 1500 mg/m ³	
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	-

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Explosive properties

Information on basic physical and chemical properties **Physical state** Liquid Appearance Clear Color Colorless Mild alcohol Odor **Odor threshold** No information available Property Values Remarks • Method No data available pН No data available pH (as aqueous solution) No data available No data available Melting point / freezing point No data available No data available Initial boiling point and boiling No data available No data available range Flash point No data available No data available **Evaporation rate** No data available No data available Flammability No data available No data available Flammability Limit in Air Upper flammability or explosive No data available No data available limits Lower flammability or explosive No data available No data available limits No data available No data available Vapor pressure **Relative vapor density** No data available No data available **Relative density** 0.71 @ 25 °C (77 °F) Water solubility No data available No data available Solubility(ies) No data available No data available Partition coefficient No data available No data available Autoignition temperature No data available No data available **Decomposition temperature** No data available No data available **Kinematic viscosity Dynamic viscosity** No data available No data available Other information No information available

Oxidizing properties Softening point Molecular weight	No information available No information available
VOC content	No information available
Liquid Density	No information available
Bulk density	No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	May cause drowsiness or dizziness. May be harmful if inhaled.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. (based on components). Causes burns. Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Acute toxicity	
Numerical measures of toxicity	
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-gas) ATEmix (inhalation-vapor) ATEmix (inhalation-dust/mist)	based on chapter 3.1 of the GHS document 1,235.50 mg/kg 20,408.20 mg/kg 99,999.00 ppm 99.00 mg/l 116.90 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl ether	= 1215 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	= 32000 ppm (Rat) 4 h
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat) 4 h = 133.8 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity No information available. diante .

The table below indicates whether each agency has listed any ingredient as a carcinogen.				
Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl ether	-	Group 3	-	-
Ethyl alcohol	A3	Group 1	Known	Х
Legend				

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present			
Reproductive toxicity	No information available.		
STOT - single exposure	May cause drowsiness or dizziness.		
STOT - repeated exposure	No information available.		
Target organ effects	Liver, Respiratory system, Eyes, Skin, Central nervous system, Blood, Reproductive system.		
Aspiration hazard	No information available.		
Other adverse effects	No information available.		

No information available. Interactive effects

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl ether	-	LC50: =2560mg/L (96h, Pimephales promelas) LC50: >10000mg/L (96h, Lepomis macrochirus)	-	-
Ethyl alcohol	-	LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)	-	LC50: 9268 - 14221mg/L (48h, Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Ethyl ether	0.82	
Ethyl alcohol	-0.35	

Other adverse effects

No information available.

13. Disposal considerations		
Disposal methods		
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.	
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.	

14. Transport information

<u>DOT</u>	Regulated
UN number or ID number	UN1155
Proper shipping name	Diethyl Ether
Transport hazard class(es)	3
Packing group	l
DOT Marine Pollutant	No
<u>TDG</u>	Regulated
UN number or ID number	UN1155
UN proper shipping name	Diethyl Ether

Transport hazard class(es)	3
Packing group	I
ICAO (air)	Regulated
UN number or ID number	UN1155
UN proper shipping name	Diethyl Ether
Transport hazard class(es)	3
Packing group	I
<u>IATA</u>	Regulated
UN number or ID number	UN1155
UN proper shipping name	Diethyl Ether
Transport hazard class(es)	3
Packing group	I
IMDG	Regulated
UN number or ID number	UN1155
UN proper shipping name	Diethyl Ether
Transport hazard class(es)	3
Packing group	I

15. Regulatory information

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

- **ENCS** Japan Existing and New Chemical Substances
- **IECSC** China Inventory of Existing Chemical Substances
- KECL Korean Existing and Evaluated Chemical Substances
- **PICCS** Philippines Inventory of Chemicals and Chemical Substances
- AICS Australian Inventory of Chemical Substances
- **NZIOC** New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u> This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Ethyl ether	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

<u>California Proposition 65</u> This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Ethyl alcohol	Carcinogen
64-17-5	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl ether	Х	Х	Х
Ethyl alcohol	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information							
NFPA HMIS	Health hazards Health hazards	· · · · · · · · · · · · · · · · · · ·		Instability 0 Physical hazards		Special hazards → Personal protection	
Key or legend to abbreviations and acronyms used in the safety data sheet Legend _ Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION							
TWA Ceiling	TWA (time-weighted average)STELSTEL (Short Term Exposure Limit)Maximum limit value*Skin designation		Exposure Limit)				
Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID)							

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

No information available.

14-Aug-2023

Revision date Revision Note Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet