

Safety Data Sheet

Ethyl Alcohol, 95%, 190 Proof, CD

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ethyl Alcohol 95%, 190 Proof, CD

Synonyms/Generic Names: Not Available

Product Number: 2125

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)

www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): None

Target Organs: Nerves, Liver, Heart

Signal Words: Danger

Pictograms







GHS Classification:

Flammable liquids	Category 2
Skin irritation	Category 2
Eye irritation	Category 2A
Specific target organ toxicity-single exposure-eyes	Category 1
Specific target organ toxicity-single exposure-respiratory tract	Category 3
Aspiration hazard	Category 1

GHS Label Elements, including precautionary statements:

Hazard Statements:

H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315+H320	Causes skin and eye irritation.
H335	May cause respiratory irritation.

Revised on 01/26/2024 Page 1 of 7

H371	Causes damage to organs (eyes).
1101	Cadoco damage to organo (Cyco).

Precautionary Statements:

roodationary otator	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/Bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe fume/gas/mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor/physician.
P331	Do NOT induce vomiting.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use appropriate media to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

Potential Health Effects

Eyes	Causes eye irritation
Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Ingestion	Toxic if swallowed.

NFPA Ratings

Health	1
Flammability	3
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	2
Fire	3
Reactivity	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Ethyl Alcohol	84-85	64-17-5	200-578-6	C ₂ H ₅ OH	46.07 g/mol
Water	6-7	7732-18-5	231-791-2	H ₂ O	18.00 g/mol
Methyl Alcohol	4-5	67-56-1	200-659-6	CH₃OH	32.04 g/mol
Methyl Isobutyl Ketone	1-2	108-10-1	203-550-1	C ₆ H ₁₂ O	100.16 g/mol
Ethyl Acetate	1-2	141-78-6	205-500-4	C ₄ H ₈ O ₂	88.11 g/mol

Revised on 01/26/2024 Page 2 of 7

Light Aliphatic Solvent Naphtha	<1	64742-89-8	289-220-8	Mixture	Mixture
------------------------------------	----	------------	-----------	---------	---------

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention.	
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not	
	breathing, give artificial respiration. Get medical attention.	
Skin	Flush with plenty of water for at least 15 minutes and wash using soap. Get medical	
	attention.	
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If	
	conscious, wash out mouth with water. Get medical attention.	

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media	Flammable liquid. Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material. Cool unopened containers with water.
Special protective equipment and precautions for firefighters	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots. Material can react violently with water (spattering and misting) and react with metals to produce flammable hydrogen gas.
Specific hazards arising from the chemical	Emits toxic fumes (carbon oxides) under fire conditions. Vapors can travel to a source of ignition and flash back. Containers may explode in a fire. Sensitive to static discharge. (See also Stability and Reactivity section)

6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	See section 8 for recommendations on the use of personal protective
protective equipment and	equipment.
emergency procedures	
Environmental precautions	Prevent spillage from entering drains. Any release to the environment
	may be subject to federal/national or local reporting requirements.
Methods and materials for	Absorb spill with vermiculite or other noncombustible absorbent
containment and cleaning up	material, then place in a suitable container for disposal. Clean surfaces
	thoroughly with water to remove residual contamination. Dispose of all
	waste and cleanup materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Use with adequate ventilation and grounding. Wash thoroughly after using. Keep container closed when not in use. Keep away from sources of ignition. No smoking. Take measure to prevent the buildup of electrostatic charge.

Conditions for safe storage, including any incompatibilities

Store in tightly closed, original containers in a cool, dry, well ventilated area. Store between 55-100°F for product stability. Do not store with strong oxidizing agents, strong acids, peroxides, aldehydes, halogens, ammonia, acid anhydrides or alkali metals.

Revised on 01/26/2024 Page 3 of 7

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls: Ventilation and appropriate grounding of containers.

Component	Exposure Limits	Basis	Entity	
Ethyl Alcohol	1000 ppm 1900 mg/m ³	REL	NIOSH	
	1000 ppm 1900 mg/m ³	PEL	OSHA	
	1000 ppm 1880 mg/m ³	STEL	ACGIH	
	3300 ppm	IDLH	OSHA	
Methyl Isobutyl Ketone	20 ppm	TLV	ACGIH	
	75 ppm	STEL	ACGIH	
	100 ppm	PEL	OSHA	
Ethyl Acetate	400 ppm	PEL	OSHA	
	400 ppm	TLV	ACGIH	

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes	Wear chemical safety glasses or goggles. Use face shield if splashing is likely to occur.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an
	approved respirator.
Skin	Wear nitrile or rubber gloves, apron or lab coat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Alcohol like.
Odor threshold	Not Available
pH	Neutral.
Melting point/freezing point	Not Available
Initial boiling point and boiling range	80°C (176°F)
Flash point	14°C (57.2°F)
Evaporation rate	Not Available
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	Lower: 6%
	Upper: 36.5%
Vapor pressure	43.13 mmHg (@ 20°C)
Vapor density	1.58

Revised on 01/26/2024 Page 4 of 7

Specific gravity	0.7900
Solubility (ies)	Completely soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Keep away from heat, flame and sparks.
Incompatible Materials	Alkali metals, Ammonia, Oxidizing agents, peroxides.
Hazardous Decomposition Products	Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	Not Available
Eyes	Not Available
Respiratory	Not Available
Ingestion	Not Available

Carcinogenicity

- 	· 1
IARC	No components of this product present at levels greater than or equal to 0.1% is
	identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	A3: Confirmed animal carcinogen with unknown relevance to humans. (Ethyl Alcohol)
NTP	No components of this product present at levels greater than or equal to 0.1% is
	identified as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is
	identified as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Irritation, redness, itchiness.
Eyes	Irritation, redness, watering eyes, itchiness.
Respiratory	Irritation, coughing, wheezing, dizziness, drowsiness.
Ingestion	Irritation, nausea, vomiting, diarrhea, dizziness, drowsiness.

Chronic Toxicity	Ingestion may cause blindness.
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Pre-and Post-implant mortality.
Target Organ(s)	Nerves, Liver, Heart
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	Not Available
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Revised on 01/26/2024 Page 5 of 7

Persistence and Degradability	Not Available
Bioaccumulative Potential	Will not accumulate
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Product or	Users should review their operations in terms of the applicable federal/national or
Residues	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product or residue.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN1170, Ethanol, 3, pg II
TDG	UN1170, ETHANOL, 3, PG II
IMDG	UN1170, ETHANOL, 3, PG II
Marine Pollutant	No
IATA/ICAO	UN1170, Ethanol, 3, pg II

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.
California Proposition 65	Listed: Ethyl Alcohol, Methyl Alcohol, Methyl Isobutyl Ketone
Rhode Island: Hazardous Substance List	Listed: Ethyl Alcohol, Methyl Alcohol, Methyl Isobutyl Ketone, Ethyl Acetate
Massachusetts: Toxic or Hazardous Substance List, Right to Know	Listed: Ethyl Alcohol, Methyl Alcohol, Methyl Isobutyl Ketone, Ethyl Acetate
Pennsylvania: Hazardous Substance List	Listed: Ethyl, Alcohol, Methyl Alcohol, Methyl Isobutyl Ketone, Ethyl Acetate
New Jersey: Right to Know Hazardous Substance List	Listed: Ethyl Alcohol, Methyl Alcohol, Methyl Isobutyl Ketone, Ethyl Acetate
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Fire Hazard, Acute Health Hazard, Chronic Health Hazard.
SARA 312	Fire Hazard, Acute Health Hazard, Chronic Health Hazard.
SARA 313	Listed: Methyl Alcohol, Isopropyl Alcohol (mfg- strong acid process), Methyl Isobutyl Ketone
WHMIS Canada	Class B2: Flammable and combustible material – Flammable liquid.

Revised on 01/26/2024 Page 6 of 7

Olaca DAD, Daisanana and infantions material
Class D1B: Poisonous and infectious material –
Immediate and serious effects – Toxic.
Class D2A: Poisonous and infectious material -
Other effects – Very toxic.
Class D2B: Poisonous and infectious material -
Other effects – Toxic.

16. OTHER INFORMATION

Revision	Date
Original	08/15/2011
Revision 1	04/01/2014
Revision 2	02/23/2015
Revision 3	12/19/2016
Revision 4	04/18/2022
Revision 5	01/26/2024

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

Revised on 01/26/2024 Page 7 of 7