

# **Safety Data Sheet**

# Hydrochloric Acid 1 PPB

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Hydrochloric Acid 1 PPB

Synonyms/Generic Names: None

**Product Number: 2511** 

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)

www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

#### 2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): None

**Target Organ(s):** Kidneys, liver, mucous membranes, upper respiratory tract, skin, eyes, circulatory system, teeth

Signal Words: Danger

Pictograms:



#### **GHS Classification:**

Corrosive to metals	Category 1
Skin corrosion	Category 1
Serious eye damage	Category 1
Specific target organ toxicity-single exposure	Category 3

# GHS Label Elements, including precautionary statements:

#### **Hazard Statements:**

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

Revised on 02/21/2022 Page 1 of 6

**Precautionary Statements:** 

Toodationary Otator		
P234	Keep only in original container.	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.	
P264	Wash hands thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do not induce vomiting.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for	
	breathing.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
P303+P361+P353	IF ON SKIN (hair): Remove/take off immediately all contaminated clothing.	
	Rinse skin with water/shower.	
P310	Immediately call a POISON CENTER/doctor/physician.	
P363	Wash contaminated clothing before reuse.	
P390	Absorb spillage to prevent material-damage.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P406	Store in corrosive resistant container with a resistant liner.	
P501	Dispose of contents/container in accordance with local regulations.	

## **Potential Health Effects**

Eyes	Causes eye burns.	
Inhalation	Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.	
Skin	Causes skin burns. Harmful if absorbed through skin.	
Ingestion	Harmful if swallowed.	

## **NFPA Ratings**

Health	3
Flammability	0
Reactivity	1
Specific hazard	Not Available

# **HMIS Ratings**

Health	3
Fire	0
Reactivity	1

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Hydrochloric Acid	36.5 - 38	7647-01-0	231-595-7	HCI	36.46 g/mol
Water	Balance	7732-18-5	231-791-2	H <sub>2</sub> O	18.00 g/mol

# 4. FIRST-AID MEASURES

Eyes	Immediately rinse with plenty of water for at least 15 minutes and seek medical attention
	immediately.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not
	breathing, give artificial respiration. Get medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated
	clothing and wash using soap. Get medical attention immediately.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If
	conscious, wash out mouth with water. Get medical attention immediately.

Revised on 02/21/2022 Page 2 of 6

#### 5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable)	Water mist, alcohol resistant foam, regular dry chemical, Carbon		
extinguishing media	dioxide (CO2). Unsuitable, strong water jet. Use appropriate media for		
	adjacent fire. Cool containers with water.		
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective		
and precautions for firefighters	clothing, including eye protection and boots.		
Specific hazards arising from	Emits toxic (hydrogen chloride gas) fumes under fire conditions. (See		
the chemical	also Stability and Reactivity section).		

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, fume or mist See section 8 for recommendations on the use of personal protective equipment. Evacuate personnel to safe areas. Keep unnecessary personnel away. Emergency procedures shall be executed only by specialists or authorized personnel.		
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.		
Methods and materials for containment and cleaning up	Neutralize spill with sodium bicarbonate or lime. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.		

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Do not handle until all safety precautions have been read and understood. See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

#### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area. Keep container tightly closed and locked up. Story in corrosive resistant container with a resistant liner. Keep away from incompatible materials (see section 10 for incompatibilities).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Hydrogen Chloride	2 ppm (2.98 mg/m <sup>3</sup> )	STEL/CEIL	ACGIH® TLV®
	5 ppm (7 mg/m <sup>3</sup> )	STEL/CEIL	OSHA PELs
	5 ppm (7 mg/m <sup>3</sup> )	STEL/CEIL	NIOSH RELs

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

**REL: Recommended Exposure Limit** 

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit usually 15 minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Revised on 02/21/2022 Page 3 of 6

## **Personal Protection**

Eyes	Wear chemical safety glasses or goggles, and face shield.		
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an		
	approved respirator.		
Skin	Wear nitrile or rubber gloves, and full body suit. The type of protective equipment must		
	be selected according to the concentration and amount of the dangerous substance at		
	the specific workplace.		
Other	Handle in accordance with good industrial hygiene and safety practice.		

#### **Other Recommendations**

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Light yellow liquid.
Odor	Sharp, irritating odor.
Odor threshold	0.25-10 ppm
рН	2 (conc: 0.2% solution)
Melting point/freezing point	Not Available
Initial boiling point and boiling range	60 - 105°C (100 - 121°F)
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Available
Vapor pressure	10.0 – 212 mmHg @ 20°C
Vapor density (air=1)	1.3 @ 20°C
Specific gravity	1.18 (water = 1)
Solubility (ies)	Soluble in water, diethyl ether.
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

# 10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Uncontrolled additions of water.
Incompatible Materials	Metals, oxidizing agents, organic materials, alkalis, water.
Hazardous Decomposition Products	Hydrogen chloride gas.

# 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

Skin	Not Available
Eyes	Not Available
Respiratory	LC50 – Rat – 3124 ppm 1h
Ingestion	LD50 – Rabbit – 900 mg/kg

Carcinogenicity

IARC	3: Unclassifiable as to carcinogenicity in Humans. (Hydrogen chloride).
ACGIH	A4: Not classifiable as a human carcinogen (Hydrogen chloride).
NTP	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Revised on 02/21/2022 Page 4 of 6

OSHA	No components of this product present at levels greater than or equal to 0.1% is
	identified as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Irritation and burns.
Eyes	Severe eye irritation, conjunctivitis, burns, corneal necrosis.
Respiratory	Irritation, pain, inflammation of upper respiratory tract and mucous membranes, coughing,
	sneezing, choking.
Ingestion	Irritation, burning, ulceration, fever, vomiting, nausea, diarrhea, thirst, difficulty swallowing,
	salivation.

Chronic Toxicity	Corrosive. Prolonged or repeated skin contact causes serious tissue
	damage.
Teratogenicity	Not Available
Mutagenicity	May alter genetic material.
Embryotoxicity	Effects on rat embryo or fetus
Target Organ(s)	Kidneys, liver, mucous membranes, upper respiratory tract, skin, eyes,
	circulatory system, teeth.
Reproductive Toxicity	Reproductivity effects on rat embryo or fetus
Respiratory/Skin Sensitization	Not Available

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Aquatic Vertebrate	LC50 – Gambusia affinis (mosquito fish) – 282 mg/L – 96h	
Aquatic Invertebrate	Not Available	
Terrestrial	Not Available	

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

# 13. DISPOSAL CONSIDERATIONS

Waste Product or Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product or residue.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

# 14. TRANSPORTATION INFORMATION

US DOT	UN1789, Hydrochloric acid, 8, pg II
TDG	UN1789, HYDROCHLORIC ACID, 8, pg II
IMDG	UN1789, HYDROCHLORIC ACID, 8, pg II
Marine Pollutant	No

Revised on 02/21/2022 Page 5 of 6

IATA/ICAO	UN1789, Hydrochloric acid, 8, pg II
17 (17 (10) (0	Oltifoo, frydrodinollo dold, o, pg ii

#### 15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active
	inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.
California Proposition 65	Not Listed
Rhode Island: Hazardous Substance List	Listed: Hydrochloric Acid
Massachusetts: Toxic or Hazardous Substance List,	Listed: Hydrochloric Acid
Right to Know	•
Pennsylvania: Hazardous Substance List	Listed: Hydrochloric Acid
New Jersey: Right to Know Hazardous Substance	Listed: Hydrochloric Acid
List	•
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Reactive Hazard, Acute Health Hazard, Chronic
	Health Hazard
SARA 312	Reactive Hazard, Acute Health Hazard, Chronic
	Health Hazard
SARA 313	Not Listed
WHMIS Canada	Class D1A: Poisonous and infectious material -
	Immediate and serious effects – Very toxic.
	Class E: Corrosive material.

## 16. OTHER INFORMATION

Revision	Date
Original	08/17/2021
Revision 1	02/21/2022

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

Revised on 02/21/2022 Page 6 of 6