

Safety Data Sheet

Potassium Hydroxide 45% Electronic Grade

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Potassium Hydroxide 45% Electronic Grade

Synonyms/Generic Names: None

Product Number: 4384

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30)

www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Corrosive, Toxic by ingestion

Target Organs: None
Signal Words: Danger

Pictograms:



GHS Classification:

Acute toxicity, Oral	Category 3
Skin corrosion	Category 1
Serious eye damage	Category 1B
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3

GHS Label Elements, including precautionary statements:

Hazard Statements:

H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements:

resultionally statements			
P260	Do not breathe dust/fume/gas/mist/vapors/spray.		
P264	Wash hands thoroughly after handling.		
P270	Do not eat, drink or smoke when using this product.		

Revised on 11/28/2017 Page 1 of 6

P273	Avoid release to the environment.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do not induce vomiting.		
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse		
	skin with water/shower.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/physician.		
P363	Wash contaminated clothing before reuse.		
P405	Store locked up.		
P501	Dispose of contents/container in accordance with local regulations.		

Potential Health Effects

Eyes	Causes severe eye burns.
Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous
	membranes and upper respiratory tract.
Skin	May be harmful if absorbed through skin. Causes skin burns.
Ingestion	Toxic if swallowed.

NFPA Ratings

Health	3
Flammability	0
Reactivity	0
Specific hazard	Not Available

HMIS Ratings

Health	3			
Fire	0			
Reactivity	0			
Personal	Not Available			

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Potassium Hydroxide	45	1310-58-3	215-181-3	KOH	56.11 g/mol
Water	Balance	7732-18-5	231-791-2	H ₂ O	18.00 g/mol

4. FIRST-AID MEASURES

Eyes	Immediately rinse with plenty of water for at least 15 minutes and seek medical attention immediately.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not
	breathing, give artificial respiration. Get medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated
	clothing and wash using soap. Get medical attention immediately.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If
	conscious, wash out mouth with water. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable) Product is not flammable. Use appropriate media for adjacent	
extinguishing media	unopened containers with water.
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective
and precautions for firefighters	clothing, including eye protection and boots.
Specific hazards arising from	Emits toxic fumes (potassium oxides) under fire conditions. (See also
the chemical	Stability and Reactivity section).

Revised on 11/28/2017 Page 2 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and	See section 8 for recommendations on the use of personal protective equipment.	
emergency procedures		
Environmental precautions	Prevent spillage from entering drains. Any release to the environment	
	may be subject to federal/national or local reporting requirements.	
Methods and materials for	Neutralize spill. Absorb spill with absorbent material, then place in a	
containment and cleaning up	suitable container for disposal. Clean surfaces thoroughly with water to	
	remove residual contamination. Dispose of all waste and cleanup	
	materials in accordance with regulations.	

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Potassium Hydroxide 2 mg/m ³		CEIL	ACGIH
	2 mg/m ³	CEIL	NIOSH

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

. o. ooa o	
Eyes	Wear chemical safety glasses or goggles, and face shield.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, and full body covering. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

Revised on 11/28/2017 Page 3 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid.
Odor	Not Available
Odor threshold	Not Available
pH	13.5
Melting point/freezing point	380°C (716°F)
Initial boiling point and boiling range	1384°C (2523.2°F)
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Available
Upper/lower flammability or explosive limit	Not Available
Vapor pressure	1 hPa (1 mmHg) at 719°C (1,326°F)
	1 hPa (1 mmHg) at 714°C (1,317°F)
Vapor density	Not Available
Specific gravity	1.46 g/mL
Solubility (ies)	acids, halogens, halogenated hydrocarbons, maleic
	anhydride, organic anhydrides, isocyanates, alkylene
	oxides, epichlorhydrin, aldehydes, alcohols, gylcols,
	phenols, cresols, caprolactum solution
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	1384°C (2523.2°F)

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Excessive heat.
Incompatible Materials	Water, light metals, alkali metals, metals, organic materials, copper, reacts violently with: halogens, nitro compounds, magnesium, azides, contact with aluminum, tin and zinc liberates hydrogen gas. Contact with nitromethane and other similar nitro compounds cause formation of shock-sensitive salts.
Hazardous Decomposition Products	Potassium oxides.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity
Potassium Hydroxide

1 otaooiam 11 y ar oxido	
Skin	Not Available
Eyes	Not Available
Respiratory	Not Available
Ingestion	LD50 – Rat – 273 mg/kg

Carcinogenicity

	' J
IARC	No components of this product present at levels greater than or equal to 0.1% is identified
	as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by ACGIH.
NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.

Page 4 of 6 Revised on 11/28/2017

OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Damage depends on duration of contact and can include burning, itching, redness,
	inflammation, swelling.
Eyes	Eye burns, watering eyes, redness.
Respiratory	Burning, choking, coughing, wheezing, laryngitis, shortness of breath, headache.
Ingestion	Burning, choking, nausea, vomiting, severe pain.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Potassium Hydroxide

Aquatic Vertebrate	LC50 – Gambusia affinis – 80 mg/L – 96h
Aquatic Invertebrate	Not Available
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Product or	Users should review their operations in terms of the applicable federal/national or
Residues	local regulations and consult with appropriate regulatory agencies if necessary before
	disposing of waste product or residue.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN1814, Potassium hydroxide, solution, 8, pg II
TDG	UN1814, POTASSIUM HYDROXIDE, SOLUTION, 8, PG II
IMDG	UN1814, POTASSIUM HYDROXIDE, SOLUTION, 8, PG II
Marine Pollutant	No
IATA/ICAO	UN1814, Potassium hydroxide, solution, 8, pg II

Revised on 11/28/2017 Page 5 of 6

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.	
DSCL (EEC)	All ingredients are listed on the DSCL inventory.	
California Proposition 65	Not Listed	
SARA 302	Not Listed	
SARA 304	Not Listed	
SARA 311	Acute Health Hazard	
SARA 312	Acute Health Hazard	
SARA 313	Not Listed	
WHMIS Canada	Class D-1B: Poisonous and infectious material- Immediate and serious	
	effects- Toxic	
	Class E: Corrosive material	

16. OTHER INFORMATION

Revision	Date
Revision 1	11/26/2013
Revision 2	04/22/2015
Revision 3	11/28/2017

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.

Revised on 11/28/2017 Page 6 of 6