

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision date 04-Apr-2024 **Revision Number** 1

1. Identification

Product identifier

Product Name Reagent Alcohol Absolute

Other means of identification

Product Code(s) 4614

UN number or ID number UN1170

Synonyms No information available

Recommended use of the chemical and restrictions on use

Recommended use Industrial use

Laboratory use

Industrial Manufacturing (all)

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Address

Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI 53925 USA Phone: (920) 623-2140

Fax: (920) 623-2577

www.columbuschemical.com

Emergency telephone number

24 Hour Emergency Phone Number CHEMTREC: 1-800-424-9300 for US / 703-527-3887 outside US

Emergency Telephone 911

2. Hazard(s) identification

Classification

| Acute toxicity - Oral | Category 4 |
|--|-------------|
| Acute toxicity - Dermal | Category 3 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Specific target organ toxicity (single exposure) | Category 1 |
| Flammable liquids | Category 2 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H370 - Causes damage to organs

H225 - Highly flammable liquid and vapor.



Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment

P242 - Use only non-sparking tools

P243 - Take action to prevent static discharges

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

P321 - Specific treatment (see First-Aid Measures on SDS)

P307 + P311 - IF exposed: Call a POISON CENTER or doctor/physician

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 - Rinse mouth

P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

P405 - Store locked up

P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Unknown acute toxicity

90 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

Other information

No information available.

3. Composition/information on ingredients

Mixture

| Chemical name | CAS No | Weight-% | Formula | Molecular Weight |
|-------------------|---------|----------|------------|------------------|
| Ethyl alcohol | 64-17-5 | >90 | C2H5OH | 46.07 g/mol |
| Methanol | 67-56-1 | 5 | CH3OH | 32.04 g/mol |
| Isopropyl alcohol | 67-63-0 | >4 | СН3СНОНСН3 | 60.10 g/mol |

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical

attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get immediate medical attention.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin,

eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing mediaDo not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge

Yes.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|-------------------|----------------|--|------------------------------|
| Ethyl alcohol | STEL: 1000 ppm | TWA: 1000 ppm | IDLH: 3300 ppm |
| | | TWA: 1900 mg/m ³ | TWA: 1000 ppm |
| | | (vacated) TWA: 1000 ppm | TWA: 1900 mg/m ³ |
| | | (vacated) TWA: 1900 mg/m ³ | |
| Methanol | STEL: 250 ppm | TWA: 200 ppm | IDLH: 6000 ppm |
| | TWA: 200 ppm | TWA: 260 mg/m ³ | TWA: 200 ppm |
| | S* | (vacated) TWA: 200 ppm | TWA: 260 mg/m ³ |
| | | (vacated) TWA: 260 mg/m ³ | STEL: 250 ppm |
| | | (vacated) STEL: 250 ppm | STEL: 325 mg/m ³ |
| | | (vacated) STEL: 325 mg/m ³ | |
| | | (vacated) S* | |
| Isopropyl alcohol | STEL: 400 ppm | TWA: 400 ppm | IDLH: 2000 ppm |
| | TWA: 200 ppm | TWA: 980 mg/m ³ | TWA: 400 ppm |
| | | (vacated) TWA: 400 ppm | TWA: 980 mg/m ³ |
| | | (vacated) TWA: 980 mg/m ³ | STEL: 500 ppm |
| | | (vacated) STEL: 500 ppm | STEL: 1225 mg/m ³ |
| | | (vacated) STEL: 1225 mg/m ³ | |

Biological occupational exposure limits

| Chemical name | ACGIH |
|-------------------|---|
| Methanol | 15 mg/L - urine (Methanol) - end of shift |
| Isopropyl alcohol | 40 mg/L - urine (Acetone) - end of shift at end of workweek |

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Color Colorless

Odor Mild alcohol Characteristic
Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone knownInitial boiling point and boilingNo data availableNone known

range

Flash pointNo data availableNone knownEvaporation rateNo data availableNone knownFlammabilityNo data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Relative vapor density No data available None known Relative density 0.7890 None known Water solubility Soluble in water None known Solubility(ies) Soluble in Methanol. Acetone None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** None known

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Explosive properties
Oxidizing properties
No information available
VOC content
No information available
Liquid Density
No information available
Bulk density
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Toxic in contact with skin.

(based on components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components). Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,528.50 mg/kg
ATEmix (dermal) 558.70 mg/kg
ATEmix (inhalation-gas) 99,999.00 ppm
ATEmix (inhalation-vapor) 34.9622 mg/l
ATEmix (inhalation-dust/mist) 9.30 mg/l

Unknown acute toxicity

90 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------|--------------------|------------------------|------------------------|
| Ethyl alcohol | = 7060 mg/kg (Rat) | - | = 116.9 mg/L (Rat)4 h |
| | | | = 133.8 mg/L (Rat) 4 h |
| Methanol | = 6200 mg/kg (Rat) | = 15840 mg/kg (Rabbit) | = 22500 ppm (Rat)8 h |
| Isopropyl alcohol | = 1870 mg/kg (Rat) | = 4059 mg/kg (Rabbit) | > 10000 ppm (Rat) 6 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation. May cause

skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---------------|-------|------|-----|------|
| Ethyl alcohol | A3 | - | - | - |

| Isopropyl alcohol | - | Group 3 | - | - |
|-------------------|---|---------|---|---|

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE). Causes damage to organs if swallowed. Causes damage to organs in contact with skin.

STOT - repeated exposureNo information available.

Target organ effects Liver, Respiratory system, Eyes, Skin, Central nervous system, Blood, Gastrointestinal tract

(GI), Reproductive system.

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|-------------------|-----------------------|-------------------------|----------------|------------------------|
| | | | microorganisms | |
| Ethyl alcohol | - | LC50: 12.0 - 16.0mL/L | - | LC50: 9268 - 14221mg/L |
| | | (96h, Oncorhynchus | | (48h, Daphnia magna) |
| | | mykiss) | | EC50: =2mg/L (48h, |
| | | LC50: >100mg/L (96h, | | Daphnia magna) |
| | | Pimephales promelas) | | |
| | | LC50: 13400 - | | |
| | | 15100mg/L (96h, | | |
| | | Pimephales promelas) | | |
| Methanol | - | LC50: =28200mg/L (96h, | - | - |
| | | Pimephales promelas) | | |
| | | LC50: >100mg/L (96h, | | |
| | | Pimephales promelas) | | |
| | | LC50: 19500 - | | |
| | | 20700mg/L (96h, | | |
| | | Oncorhynchus mykiss) | | |
| | | LC50: 18 - 20mL/L (96h, | | |
| | | Oncorhynchus mykiss) | | |
| | | LC50: 13500 - | | |
| | | 17600mg/L (96h, | | |
| | | Lepomis macrochirus) | | |
| Isopropyl alcohol | EC50: >1000mg/L (96h, | LC50: =9640mg/L (96h, | - | EC50: =13299mg/L (48h, |
| | Desmodesmus | Pimephales promelas) | | Daphnia magna) |
| | subspicatus) | LC50: =11130mg/L (96h, | | |

| EC50: >1000mg/L (72h, | Pimephales promelas) | |
|-----------------------|----------------------|--|
| Desmodesmus | LC50: >1400000µg/L | |
| subspicatus) | (96h, Lepomis | |
| , | macrochirus) | |

Persistence and degradability

No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|-------------------|-----------------------|
| Ethyl alcohol | -0.35 |
| Methanol | -0.77 |
| Isopropyl alcohol | 0.05 |

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local

regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT Regulated UN number or ID number UN1170 Proper shipping name **Fthanol** Transport hazard class(es) 3 Packing group Ш **DOT Marine Pollutant** Nο

TDG UN number or ID number Regulated UN1170 Ethanol 3

UN proper shipping name Transport hazard class(es)

Packing group Ш

Regulated ICAO (air) UN number or ID number UN1170 Ethanol UN proper shipping name Transport hazard class(es) 3

Packing group

Regulated

Ш

UN number or ID number UN1170 **UN proper shipping name** Ethanol

Transport hazard class(es) 3
Packing group ||

IMDGRegulatedUN number or ID numberUN1170UN proper shipping nameEthanolTransport hazard class(es)3Packing groupII

15. Regulatory information

International Inventories

TSCA Complies. DSL/NDSL Complies.

EINECS/ELINCS
Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|------------------------------|-------------------------------|
| Methanol 67-56-1 | 1.0 |
| Isopropyl alcohol 67-63-0 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

| | Chemical name | Hazardous Substances RQs | Extremely Hazardous | Reportable Quantity (RQ) |
|--|---------------|--------------------------|---------------------|--------------------------|
|--|---------------|--------------------------|---------------------|--------------------------|

| | | Substances RQs | |
|----------|---------|----------------|---------------------|
| Methanol | 5000 lb | - | RQ 5000 lb final RQ |
| | | | RQ 2270 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

| Chemical name | California Proposition 65 | |
|---------------|---------------------------|--|
| Methanol | Developmental | |
| 67-56-1 | , | |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-------------------|------------|---------------|--------------|
| Ethyl alcohol | X | X | X |
| Methanol | X | X | X |
| Isopropyl alcohol | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA
HMISHealth hazards3Flammability0Instability0Special hazards-HMISHealth hazards3 *Flammability0Physical hazards0Personal protectionX

Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 04-Apr-2024

Revision Note No information available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 12 / 12