

## Sulfur Sublimed, Flowers

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sulfur Sublimed, Flowers

**Synonyms/Generic Names:** None

**Product Number:** 5444

**Product Use:** Industrial, Manufacturing or Laboratory use

**Manufacturer:** Columbus Chemical Industries, Inc.  
N4335 Temkin Rd.  
Columbus, WI. 53925

**For More Information Call:** 920-623-2140 (Monday-Friday 8:00-4:30)

**In Case of Emergency Call:** CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

### 2. HAZARDS IDENTIFICATION

**OSHA Hazards:** Irritant

**Target Organs:** None

**Signal Words:** Warning

**Pictograms**



**GHS Classification:**

Skin irritation	Category 2
Flammable solid	Category 2

**GHS Label Elements, including precautionary statements:**

**Hazard Statements:**

H228	Flammable solid.
H315	Causes skin irritation.

**Precautionary Statements:**

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240	Ground/Bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.

P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use dry chemical, alcohol-resistant foam or carbon dioxide to extinguish fire.

### Potential Health Effects

<b>Eyes</b>	Causes eye irritation
<b>Inhalation</b>	May be harmful if inhaled. Material may be irritating to the mucous membranes and upper respiratory tract.
<b>Skin</b>	May cause irritation.
<b>Ingestion</b>	May be harmful if swallowed.

### NFPA Ratings

<b>Health</b>	2
<b>Flammability</b>	1
<b>Reactivity</b>	0
<b>Specific hazard</b>	N/A

### HMIS Ratings

<b>Health</b>	2
<b>Fire</b>	2
<b>Reactivity</b>	0

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Sulfur	>99	7704-34-9	231-722-6	S	32.06 g/mol

## 4. FIRST-AID MEASURES

<b>Eyes</b>	Rinse with plenty of water for at least 15 minutes and seek medical attention.
<b>Inhalation</b>	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
<b>Skin</b>	Flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention.
<b>Ingestion</b>	<b>Do Not Induce Vomiting!</b> Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention.

## 5. FIREFIGHTING MEASURES

<b>Suitable (and unsuitable) extinguishing media</b>	May form combustible dust in air. Use appropriate media for adjacent fire. For a small fire, use dry chemical powder. For a large fire, use water spray or fog.
<b>Special protective equipment and precautions for firefighters</b>	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.
<b>Specific hazards arising from the chemical</b>	Emits toxic fumes (sulfur dioxide) under fire conditions. See also Stability and Reactivity section.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures</b>	See section 8 for recommendations on the use of personal protective equipment.
<b>Environmental precautions</b>	Do not let product enter drains. Any release to the environment may be subject to federal/national or local reporting requirements.

<b>Methods and materials for containment and cleaning up</b>	Sweep up and place in a suitable container for disposal. Clean surfaces with water to remove residual contamination. Dispose of all waste or cleanup materials in accordance with local regulations.
--	--

---

## 7. HANDLING AND STORAGE

---

### Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Do not breathe dust.

### Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area in a tightly-closed, plainly-labeled container. Protect against moisture and light. Maintain adequate ventilation. Wash thoroughly after handling. Keep away from incompatible materials (see section 10 for incompatibilities).

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### Occupational Exposure Controls:

Component	Exposure Limits	Basis	Entity
Sulfur	5 mg/m <sup>3</sup>	TWA	USA OSHA
	15 mg/m <sup>3</sup>	TWA	USA OSHA

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

### Personal Protection

<b>Eyes</b>	Wear chemical safety glasses with a face shield for splash protection.
<b>Inhalation</b>	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
<b>Skin</b>	Wear chemical resistant gloves, apron and other protective clothing appropriate to the risk of exposure.
<b>Other</b>	Not Available

### Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling. Have supplies and equipment for neutralization and running water available.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance (physical state, color, etc.)	Yellow powder, crystals, lumps or flakes.
Odor	Slight to odorless.
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	118-120°C (244-248°F)
Initial boiling point and boiling range	435°C (833°F)
Flash point	204°C (405°F)
Evaporation rate	Not Available

Flammability (solid, gas)	Flammable solid
Upper/lower flammability or explosive limit	Upper: 6.83% Lower: 0.17%
Vapor pressure	10 hPa (8 mmHg) at 246°C (475°F) 1 hPa (1 mmHg) at 183.8°C (362.8°F)
Vapor density	Not Available
Relative density	2.05 g/cm <sup>3</sup> at 20°C (68°F)
Solubility (ies)	Insoluble
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	232°C (450°F)
Decomposition temperature	Not Available

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable
<b>Possibility of Hazardous Reactions</b>	Will not occur.
<b>Conditions to Avoid</b>	Excessive heat, ignition sources
<b>Incompatible Materials</b>	Alkali and alkaline earth metals (sodium, potassium, lithium, calcium and magnesium metals), oxidizers, ammonia.
<b>Hazardous Decomposition Products</b>	Sulfur oxides.

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

<b>Skin</b>	LD50 Dermal - rabbit - > 2,000 mg/kg
<b>Eyes</b>	Not Available
<b>Respiratory</b>	LC50 Inhalation - rat - 4 h - > 9.23 mg/l
<b>Ingestion</b>	LDLO Oral - rabbit - 175 mg/kg LD50 Oral - rat - > 2,000 mg/kg
<b>Other</b>	LDLO Intravenous - rat - 8 mg/kg LDLO Intravenous - rabbit - 5 mg/kg LDLO Intraperitoneal - guinea pig - 55 mg/kg LDLO Intravenous - dog - 10 mg/kg

### Carcinogenicity

<b>IARC</b>	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>ACGIH</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
<b>NTP</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Signs & Symptoms of Exposure

<b>Skin</b>	Irritation. Itching, swelling, redness and pain.
<b>Eyes</b>	Irritation. Itching, swelling, redness and pain.
<b>Respiratory</b>	Irritation to mucous membranes and upper respiratory tract characterized by itching, swelling, redness and pain.
<b>Ingestion</b>	Irritation. May cause nausea, vomiting and pain.
<b>Chronic Toxicity</b>	Not Available
<b>Teratogenicity</b>	Not Available
<b>Mutagenicity</b>	Not Available
<b>Embryotoxicity</b>	Not Available

<b>Specific Target Organ Toxicity</b>	Not Available
<b>Reproductive Toxicity</b>	Not Available
<b>Respiratory/Skin Sensitization</b>	Not Available

---

## 12. ECOLOGICAL INFORMATION

---

### Ecotoxicity

<b>Aquatic Vertebrate</b>	LC50 - Oncorhynchus mykiss (rainbow trout) - > 180 mg/l - 96 h LC50 - other fish - 866 mg/l - 96 h
<b>Aquatic Invertebrate</b>	EC50 - Daphnia magna (Water flea) - > 5,000 mg/l - 48 h
<b>Terrestrial</b>	Not Available

<b>Persistence and Degradability</b>	Not Available
<b>Bioaccumulative Potential</b>	Does not accumulate
<b>Mobility in Soil</b>	Not Available
<b>PBT and vPvB Assessment</b>	Not Available
<b>Other Adverse Effects</b>	Not Available

---

## 13. DISPOSAL CONSIDERATIONS

---

<b>Waste Residues</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container or residue.
<b>Product Containers</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

---

## 14. TRANSPORTATION INFORMATION

---

US DOT	UN1350, Sulfur, 4.1,pg III*
TDG	UN1350, SULFUR, 4.1,PG III
IMDG	UN1350, SULFUR, 4.1,PG III
Marine Pollutant	No
IATA/ICAO	UN1350, Sulfur, 4.1,pg III

\*"Not Regulated" for domestic, non-bulk shipments

---

## 15. REGULATORY INFORMATION

---

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.
DSL Inventory Status	All ingredients are listed on the DSL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Fire Hazard, Acute Health Hazard
SARA 312	Fire Hazard, Acute Health Hazard
SARA 313	Not Listed
WHMIS Canada	Class B-4: Flammable solid

---

## 16. OTHER INFORMATION

---

Revision	Date
Original	06/18/2019
Revised	03/02/2020

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.