

## Sulfuric Acid, 65% (w/w)

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sulfuric Acid, 65% (w/w)

**Synonyms/Generic Names:** Battery Acid, Dihydrogen Sulfate, Oil of Vitriol

**Product Number:** 5607

**Product Use:** Industrial, Manufacturing or Laboratory use

**Manufacturer:** Columbus Chemical Industries, Inc.  
N4335 Temkin Rd.  
Columbus, WI. 53925

**For More Information Call:** 920-623-2140 (Monday-Friday 8:00-4:30)  
[www.columbuschemical.com](http://www.columbuschemical.com)

**In Case of Emergency Call:** CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

### 2. HAZARDS IDENTIFICATION

**Hazards not otherwise classified (HNOC):** None

**Signal Words:** Danger

**Pictograms:**



**GHS Classification:**

Corrosive to metals	Category 1
Skin corrosion	Category 1A
Serious eye damage	Category 1
Acute aquatic toxicity	Category 3

**GHS Label Elements, including precautionary statements:**

**Hazard Statements:**

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage.
H402	Harmful to aquatic life.

**Precautionary Statements:**

P234	Keep only in original container.
P260	Do not breathe dusts or mists.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do not induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P404+P405	Store in closed container. Store locked up.
P501	Dispose of contents/container in accordance with local regulations.

### Potential Health Effects

<b>Eyes</b>	Causes severe eye burns.
<b>Inhalation</b>	Harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
<b>Skin</b>	Causes skin burns. May be harmful if absorbed through skin.
<b>Ingestion</b>	Harmful if swallowed.

### NFPA Ratings

<b>Health</b>	3
<b>Flammability</b>	0
<b>Reactivity</b>	2
<b>Specific hazard</b>	W

### HMIS Ratings

<b>Health</b>	3
<b>Fire</b>	0
<b>Reactivity</b>	2

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Sulfuric Acid	64-66	7664-93-9	231-939-5	H <sub>2</sub> SO <sub>4</sub>	98.08 g/mol
Water	Balance	7732-18-5	231-791-2	H <sub>2</sub> O	18.00 g/mol

## 4. FIRST-AID MEASURES

<b>Eyes</b>	Rinse with plenty of water for at least 15 minutes. Get medical attention immediately.
<b>Inhalation</b>	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
<b>Skin</b>	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention immediately.
<b>Ingestion</b>	<b>Do Not Induce Vomiting!</b> Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.
<b>General Advice</b>	Immediately call a Poison Center/Physician. Show safety data sheet to the doctor.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable (and unsuitable) extinguishing media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use appropriate media for adjacent fire. Cool containers with water.
--	---

<b>Special protective equipment and precautions for firefighters</b>	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.
<b>Specific hazards arising from the chemical</b>	Emits toxic fumes (sulfur oxides, hydrogen sulfide gas) under fire conditions. (See also Stability and Reactivity section).

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures</b>	Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin or on clothing. Do not breathe fume, mist or vapors. See section 8 for recommendations on the use of personal protective equipment. Emergency procedures shall be executed only by specialists or authorized personnel.
<b>Environmental precautions</b>	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
<b>Methods and materials for containment and cleaning up</b>	Prevent spillage from entering drains. Neutralize spill with sodium bicarbonate or lime. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin or on clothing. Do not breathe fume, mist or vapors. See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

### Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep in original container tightly closed. Store locked up. Keep away from incompatible materials (see section 10 for incompatibilities).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Sulfuric Acid	0.2 mg/m <sup>3</sup>	TWA	ACGIH® TLVs®
	1 mg/m <sup>3</sup>	TWA	OSHA PELs
	1 mg/m <sup>3</sup>	TWA	NIOSH RELs

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit usually 15 minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

### Personal Protection

<b>Eyes</b>	Wear chemical safety glasses or goggles, and face shield.
<b>Inhalation</b>	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.

<b>Skin</b>	Wear nitrile or rubber gloves, and full body suit.
<b>Other</b>	Handle in accordance with good industrial hygiene and safety practice.

**Other Recommendations**

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Odorless
Odor threshold	Not Available
pH	~1
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Density	1.00
Solubility (ies)	Soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

**10. STABILITY AND REACTIVITY**

<b>Chemical Stability</b>	Stable
<b>Possibility of Hazardous Reactions</b>	Will not occur.
<b>Conditions to Avoid</b>	Moisture.
<b>Incompatible Materials</b>	Bases, halides, organic material, carbides, chlorates, fulminates, nitrates, picrates, cyanides, cyclopentadiene, cyclopentanone oxime, nitroaryl amines, hexalithium disilicide, phosphorus (III) oxide, powdered metals.
<b>Hazardous Decomposition Products</b>	Sulfur oxides, hydrogen sulfide gas.

**11. TOXICOLOGICAL INFORMATION****Acute Toxicity***Sulfuric Acid*

<b>Skin</b>	Not Available
<b>Eyes</b>	Not Available
<b>Respiratory</b>	LC50 – Rat – 510 mg/m <sup>3</sup> – 2h
<b>Ingestion</b>	LD50 – Rat – 2,140 mg/kg

**Carcinogenicity**

<b>IARC</b>	1: Carcinogenic to humans (Sulfuric Acid-Aerosol).
<b>ACGIH</b>	A2: Probably human carcinogen (Sulfuric Acid-Aerosol).
<b>NTP</b>	K: Known human carcinogen (Sulfuric Acid-Aerosol).

<b>OSHA</b>	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
-------------	--

### Signs & Symptoms of Exposure

<b>Skin</b>	Burning, itching, redness, inflammation upon exposed tissue.
<b>Eyes</b>	Eye burns, watering eyes. Permanent damage to the cornea, iris or conjunctiva can occur.
<b>Respiratory</b>	Burning, choking, coughing, shortness of breath. May be corrosive to the respiratory tract.
<b>Ingestion</b>	Nausea, vomiting, diarrhea, burning, severe pain. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

<b>Chronic Toxicity</b>	Strong inorganic acid mists containing sulfuric acid are carcinogenic to humans. Prolonged inhalation of fumes or mists may cause erosion of the teeth.
<b>Teratogenicity</b>	Not Available
<b>Mutagenicity</b>	Not Classified
<b>Embryotoxicity</b>	Not Available
<b>Target Organ(s)</b>	Teeth, Lungs
<b>Reproductive Toxicity</b>	Not Classified
<b>Respiratory/Skin Sensitization</b>	Not Classified

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Sulfuric Acid

<b>Aquatic Vertebrate</b>	LC50 – Gambusia affinis (Western Mosquitofish) – 42 mg/L – 96h
<b>Aquatic Invertebrate</b>	EC50 - Daphnia magna (Water flea) - >100 mg/l - 48 h
<b>Terrestrial</b>	ErC50 – Desmodesmus subspicatus (green algae) - >100 mg/l – 72h

<b>Persistence and Degradability</b>	Not Available
<b>Bioaccumulative Potential</b>	Not Available
<b>Mobility in Soil</b>	Not Available
<b>PBT and vPvB Assessment</b>	Not Available
<b>Other Adverse Effects</b>	Not Available

## 13. DISPOSAL CONSIDERATIONS

<b>Waste Residues</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container or residue.
<b>Product Containers</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

## 14. TRANSPORTATION INFORMATION

US DOT	UN1830, Sulfuric acid, 8, pg II
TDG	UN1830, SULFURIC ACID, 8, pg II
IMDG	UN1830, SULFURIC ACID, 8, pg II

Marine Pollutant	No
IATA/ICAO	UN1830, Sulfuric acid, 8, pg II

## 15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.
California Proposition 65	Listed: Sulfuric Acid (aerosol)
Massachusetts: toxic or Hazardous Substance List, Right to know	Listed: Sulfuric Acid
New Jersey: Right to Know Hazardous Substance List	Listed: Sulfuric acid
Pennsylvania: Hazardous Substance List	Listed: Sulfuric acid
Rhode Island: Hazardous Substance List	Listed: Sulfuric acid
SARA 302	Listed: Sulfuric Acid
SARA 304	Listed: Sulfuric Acid
SARA 311	Reactive Physical Hazard, Acute Health Hazard
SARA 312	Reactive Physical Hazard, Acute Health Hazard
SARA 313	Listed: Sulfuric Acid (aerosol only)
WHMIS Canada	Class D1A: Material causing other toxic effects – Very toxic Class E: Corrosive material.

## 16. OTHER INFORMATION

Revision	Date
Created	11/12/2021

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.