

Sulfuric Acid, 50% (w/w) Electronic Grade

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Sulfuric Acid, 50% (w/w) Electronic Grade

Synonyms/Generic Names: Battery Acid, Dihydrogen Sulfate, Oil of Vitriol

Product Number: 9841

Product Use: Industrial, Manufacturing or Laboratory use

Manufacturer: Columbus Chemical Industries, Inc. N4335 Temkin Rd. Columbus, WI. 53925

For More Information: 920-623-2140 (Monday-Friday 8:00-4:30) www.columbuschemical.com

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

Hazard Not Otherwise Classified (HNOC): None

Signal Words: Danger

Pictograms:



GHS Classification:

Corrosive to metals	Category 1
Skin corrosion	Category 1A
Serious eye damage	Category 1
Hazardous to aquatic environment, acute hazard	Category 3

GHS Label Elements, including precautionary statements:

Hazard Statements:

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage.
H402	Harmful to aquatic life.

Precautionary Statements:

P260	Do no	t breathe dusts or mists.
P264	Wash	hands thoroughly after handling.
P273	Avoid	release to the environment.

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do not induce vomiting.
	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
P303+P361+P353	skin with water/shower.
	IF INHALED: Remove person to fresh air and keep comfortable for
P304+P340	breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P305+P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician.
P363	Wash contaminated clothing before reuse.
P234+P390	Keep only in original container. Absorb spillage to prevent material damage.
P404+P405	Store locked up. Store in a closed container.
P501	Dispose of contents/container in accordance with local regulations.

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely		
	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous	
membranes and upper respiratory tract.		
Skin Causes skin burns. May be harmful if absorbed	through skin.	
Ingestion May be harmful if swallowed.		

NFPA Ratings

Health	3
Flammability	0
Reactivity	2
Specific hazard	W

HMIS Ratings

Health	3
Fire	0
Reactivity	2

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Sulfuric Acid	49-51	7664-93-9	231-939-5	H_2SO_4	98.08 g/mol
Water	Balance	7732-18-5	231-791-2	H ₂ O	18.00 g/mol

4. FIRST-AID MEASURES

Eyes	Immediately rinse with plenty of water for at least 15 minutes and get medical attention immediately.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention immediately.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.
General advice	Immediately call a Poison Center/Physician. Show safety data sheet to the doctor.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable)	Product is not flammable or explosive. Use appropriate media for
extinguishing media	adjacent fire. Cool unopened containers with water.

Special protective equipment	Wear self-contained, approved breathing apparatus and full protective	
and precautions for firefighters	clothing, including eye protection and boots.	
Specific hazards arising from	Emits toxic fumes (sulfur oxides, hydrogen sulfide gas) under fire	
the chemical	conditions. (See also Stability and Reactivity section).	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, fume or mist. See section 8 for recommendations on the use of personal protective equipment. Emergency procedures shall be executed only by specialists or authorized personnel. Evacuate unnecessary personnel.
Environmental precautions	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
Methods and materials for containment and cleaning up	Neutralize spill with sodium bicarbonate or lime. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Never pour water into this substance when dissolving or diluting; always add it slowly to the water. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, fume or mist. See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well-ventilated area. Store in closed original container. Store locked up. Keep away from incompatible materials (see section 10 for incompatibilities).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Sulfuric Acid	0.2 mg/m ³	TWA	ACGIH [®] TLV [®]
	1 mg/m ³	TWA	OSHA PELs
	1 mg/m ³ `	TWA	NIOSH RELs

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit usually 15 minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Eyes

Wear chemical safety glasses or goggles, and face shield.

Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an
	approved respirator.
Skin	Wear nitrile or rubber gloves, and full body suit. The type of protective equipment must
	be selected according to the concentration and amount of the dangerous substance at
	the specific workplace.
Other	Handle in accordance with good industrial hygiene and safety practice.

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear, colorless liquid
Odor	Odorless
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Density	1.4000 (water = 1)
Solubility (ies)	Soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable	
Possibility of Hazardous Reactions	Will not occur.	
Conditions to Avoid	Extremely high or low temperatures, moisture and incompatible	
	materials.	
Incompatible Materials	Combustible materials. Reducing agents. Strong bases,	
	oxidizers. Metal. Water.	
Hazardous Decomposition Products	Sulfur oxides, hydrogen sulfide gas.	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Sulfuric acid	
Skin	Not Available
Eyes	Not Available
Respiratory-inhalation	Not Available
Ingestion	Not Available

Carcinogenicity

Jui	onlogomony	
	ARC	1: Carcinogenic to humans (Sulfuric Acid aerosol).
Α	ACGIH	A2: Suspected human carcinogen (Sulfuric Acid aerosol).

NTP	No components of this product present at levels greater than or equal to 0.1% is identified
	as a known or anticipated carcinogen by NTP.
OSHA	No components of this product present at levels greater than or equal to 0.1% is identified
	as a carcinogen or potential carcinogen by OSHA.

Signs & Symptoms of Exposure

Skin	Burning, itching, redness, inflammation upon exposed tissue.	
Eyes	Eye burns, watering eyes.	
Respiratory	Burning, choking, coughing, shortness of breath.	
Ingestion	Nausea, vomiting, diarrhea, burning, severe pain.	

Chronic Toxicity	May cause bleeding of nose and gums, nasal and oral mucosal ulceration, conjunctivitis, yellowing of teeth and erosion of tooth enamel.
Teratogenicity	Not Available
Mutagenicity	Not Classified
Embryotoxicity	Not Available
Target Organ(s)	Teeth, Lungs
Reproductive Toxicity	Not Classified
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Vertebrate	prate LC50 – Gambusia affinis – 42 mg/L – 96h	
Aquatic Invertebrate	ate EC50 – Daphnia magna (water flea) – >100 mg/l – 48h	
Terrestrial	Not Available	
Persistence and Degradability		Not Available
Bioaccumulative Potential		Does not accumulate.
Mobility in Soil		Not Available
PBT and vPvB Assessment		Not Available
Other Adverse Effects		Avoid release to the environment

13. DISPOSAL CONSIDERATIONS

Waste Product or Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product or residue.	
Product Containers		
	before disposing of waste product container.	

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN2796, Sulfuric acid, 8, pg II
TDG	UN2796, SULFURIC ACID, 8, PG II
IMDG	UN2796, SULFURIC ACID, 8, PG II
Marine Pollutant	No
IATA/ICAO	UN2796, Sulfuric acid, 8, pg II

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA Active inventory.
DSL / NDSL	All ingredients are listed on the DSL inventory.
California Proposition 65	Not Listed
Rhode Island: Hazardous Substance List	Listed: Sulfuric Acid
Massachusetts: Toxic or Hazardous Substance List,	Not Listed
Right to Know	
Pennsylvania: Hazardous Substance List	Listed: Sulfuric Acid
New Jersey: Right to Know Hazardous Substance	Listed: Sulfuric Acid
List	
SARA 302	Listed: Sulfuric Acid
SARA 304	Listed: Sulfuric Acid
SARA 311	Reactive Hazard, Acute Health Hazard.
SARA 312	Reactive Hazard, Acute Health Hazard.
SARA 313	Listed: Sulfuric Acid (aerosol forms only)
WHMIS Canada	Class D1A: Poisonous and infectious material -
	Immediate and serious effects – Very toxic.
	Class E: Corrosive material.

16. OTHER INFORMATION

Revision	Date
Original	05/24/2021
Revision 1	12/13/2021

Disclaimer: The information provided in this Safety Data Sheet ("SDS") is correct to the best of our knowledge, information, and belief at the date of publication. The information in this SDS relates only to the specific Product identified under Section 1, and does not relate to its use in combination with other materials or products, or its use as to any particular process. Those handling, storing, or using the Product should satisfy themselves that they have current information regarding the particular way the Product is handled, stored or used and that the same is done in accordance with federal, state and local law. WE DO NOT MAKE ANY WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE. WE DO NOT ASSUME RESPOSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, INJURY, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT.