

Revision date 13-May-2024

1. Identification

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Revision Number 1

Product identifier		
Product Name	n-Hexane 95% High Purity	
Other means of identification		
Product Code(s)	2498	
UN number or ID number	UN1208	
Synonyms	Hexane	
Recommended use of the chemical	and restrictions on use	
Recommended use	Industrial use Laboratory use Industrial Manufacturing (all)	
Restrictions on use	No information available	
Details of the supplier of the safety	data sheet	
<u>Supplier Address</u> Columbus Chemical Industries, Ind N4335 Temkin Rd. Columbus, WI 53925 USA Phone: (920) 623-2140 Fax: (920) 623-2577 www.columbuschemical.com	2.	
Emergency telephone number		
24 Hour Emergency Phone Number	CHEMTREC: 1-800-424-9300 for US / 703-527-388	7 outside US
Emergency Telephone	911	
2. Hazard(s) identification		
Classification_		
Skin corrosion/irritation		Category 2

Skin corrosion/irritation	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration hazard	Category 1
Flammable liquids	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Danger

Hazard statements

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H336 May cause drowsiness or dizziness
- H361 Suspected of damaging fertility or the unborn child
- H373 May cause damage to organs through prolonged or repeated exposure
- H225 Highly flammable liquid and vapor.



Precautionary Statements - Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P233 Keep container tightly closed
- P240 Ground and bond container and receiving equipment
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment
- P242 Use only non-sparking tools
- P243 Take action to prevent static discharges
- P235 Keep cool

Precautionary Statements - Response

- P308 + P313 IF exposed or concerned: Get medical advice/attention
- P321 Specific treatment (see First-Aid Measures on SDS)
- P332 + P313 If skin irritation occurs: Get medical advice/attention
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- P363 Wash contaminated clothing before reuse
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P331 Do NOT induce vomiting
- P370 + P378 In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

P405 - Store locked up P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Synonyms

Hexane.

Chemical name	CAS No	Weight-%	Formula	Molecular Weight
n-Hexane	110-54-3	>95	C6H14	86.18 g/mol

4. First-aid measures		
Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.	
Inhalation	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.	
5. Fire-fighting measures		
Suitable Extinguishing Media Large Fire	Dry chemical. Carbon dioxide (CO2). Water spray or fog. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	

Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire
	extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact

Sensitivity to static discharge Yes.

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from
heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static
electricity). Keep in properly labeled containers. Do not store near combustible materials.
Keep in an area equipped with sprinklers. Store in accordance with the particular national
regulations. Store in accordance with local regulations. Store locked up. Keep out of the
reach of children. Store away from other materials.

8. Exposure controls/personal protection

Control parameters

Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.		
Appropriate engineering controls			
Engineering controls	Showers Eyewash stations Ventilation systems.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Tight sealing safety goggles.		
Hand protection	Wear suitable gloves. Impervious gloves.		
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.		
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.		

9. Physical and chemical properties

Information on basic physical and chemical properties

Information on basic physical and o		
Physical state	Liquid Clear	
Appearance Color	Clear	
Odor	No information available	
Odor threshold	No information available	
Odor Inreshold		
Property	<u>Values</u>	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	-95 °C / -139.0 °F	None known
Initial boiling point and boiling	69 °C / 156.2 °F	None known
range		
Flash point	-22 °C / -7.6 °F	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	0.6550 - 0.6640	None known
Water solubility	Insoluble	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
-		

None known

None known

Kinematic viscosity	No data available
Dynamic viscosity	No data available
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content Liquid Density Bulk density	No information available No information available No information available 86.18 g/mol No information available No information available No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Strong oxidizing agents.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.	
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.	
Skin contact	Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness	

headache, dizziness, tiredness, nausea and vomiting.

and tearing of the eyes. Inhalation of high vapor concentrations may cause symptoms like

Acute toxicity

Numerical measures of toxicity No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Nervous system.
Aspiration hazard	May be fatal if swallowed and enters airways.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information	
Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability	No information available.
Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. Transport information

DOT UN number or ID number	Regulated UN1208
Proper shipping name	Hexanes
Transport hazard class(es)	3
Packing group	II
DOT Marine Pollutant	Р
	P

<u>TDG</u>	Regulated
UN number or ID number	UN1208
UN proper shipping name	Hexanes
Transport hazard class(es)	3
Packing group	II
ICAO (air)	Regulated
UN number or ID number	UN1208
UN proper shipping name	Hexanes
Transport hazard class(es)	3
Packing group	II
IATA_	Regulated
UN number or ID number	UN1208
UN proper shipping name	Hexanes
Transport hazard class(es)	3
Packing group	II
IMDG	Regulated
UN number or ID number	UN1208
UN proper shipping name	Hexanes
Transport hazard class(es)	3
Packing group	II

15. Regulatory information

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other inf	ormation						
NFPA <u>HMIS</u> Chronic Hazard Star	Health hazards Health hazards Legend *=	2 *	Flammability Flammability lealth Hazard		Instability 0 Physical hazards	0	Special hazards - Personal protection X
	abbreviations and acro 8: EXPOSURE CONTE TWA (time-weighted a	OLS/PE	RSONAL PROT			t Term	Exposure Limit)
Ceiling	Maximum limit value	0 /	*		Skin designa		, ,
Agency for Toxic S U.S. Environmenta European Food Sa EPA (Environmenta Acute Exposure G U.S. Environmenta V.S. Environmenta Food Research Joc Hazardous Substa International Unifor National Institute of Australia National NIOSH (National I National Library of National Library of National Library of National Toxicolog New Zealand's Ch Organization for E	ance Database orm Chemical Information of Technology and Evalu Industrial Chemicals No nstitute for Occupationa f Medicine's ChemID Plu f Medicine's PubMed da gy Program (NTP) nemical Classification an conomic Co-operation a conomic Co-operation a conomic Co-operation a	Registry emView I (s)) deral Inse h Produce n Databa ation (NI tification Safety a s (NLM (abase (N abase (N d Informa nd Devel nd Devel	v (ATSDR) Database ecticide, Fungicio ction Volume Ch se (IUCLID) TE) and Assessmen and Health) CIP) NLM PUBMED) ation Database (opment Environ opment High Pro	de, and Ro emicals t Scheme CCID) ment, Hea oduction \	(NICNAS) Ith, and Safety Publi /olume Chemicals Pi		
Revision date Revision Note <u>Disclaimer</u>		May-202 informat	24 ion available.				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet